


EUROPROFILE CYLINDER LOCKS




85



safeguarding your security

THE CODING



ON REQUEST Security locks with block lever on deadbolts	ON REQUEST (B+T) Block lever on deadbolts (B) + Cylinder extraction protection (T)
ON REQUEST Lock with forced cylinder extraction protection system	ON REQUEST Security locks with block lever on deadbolts and certification

Note : Locks can be supplied B version, T version or Q version (B +T) on request.
Bolts resistance exceeds 600 kN required by applicable standards.


Note : the burglar-proof device Q (B +T) **MUST** always be mounted on the outer side of the door; otherwise, it will **NOT** work.
It is always necessary to specify the opening hand.

Note : On request B or Q (B +T) locks version can be supplied with **certification** according to standard UNI EN 12209.
In the order, please add **U** to the article code of the lock.
Certification is valid only if the lock is protected by a manganese plate of the same dimensions of the lock or larger.

Use MOTTURA Defender is a registered trademark of MOTTURA	WE RECOMMEND USING CHAMPIONS® SECURITY CYLINDERS 	Assembly example cylinder (not included) with "Mottura fitting"
---	---	---

85.120 MORTISE-TYPE

MADE
IN
ITALY



Characteristics

- Side
- Cylinder and handle backset 49 mm
- Bolts Ø 20x14 mm with 16 mm travel

Pair with Defender®
DF..., TOP SYSTEM, BASIC

WARNING: For use half cylinder, we recommend the type B (half cylinder 30 mm thickness locks - CP4BXX, CP8BXX ...) check available space.

94373 - INCLUDED



It is RECOMMENDED to use
CHAMPIONS® security cylinders



85.110

Side mortise-type for cylinder without latchbolt


Cylinder backset 49 mm
Bolt travel 16 mm

The lock is equipped with:

- Nickel-plated face plate
- striker plate art. 94373

The article is ambidextrous

Cylinders, reinforcements and other accessories
are **NOT** included



85.120

Side mortise-type for cylinder with latchbolt


operated by cylinder and 8 handle square.
Cylinder and handle backset 49 mm
Bolt travel 16 mm

The lock is equipped with:

- Nickel-plated face plate
- striker plate art. 94318

The article is reversible

Cylinders, reinforcements and other accessories
are **NOT** included



85.125

Side mortise-type for cylinder with adjustable roller


Cylinder backset 49 mm
Bolt travel 16 mm

The lock is equipped with:

- Nickel-plated face plate
- striker plate art. 94372


The article is ambidextrous

Cylinders, reinforcements and other accessories
are **NOT** included



85.140 MORTISE-TYPE

MADE
IN
ITALY



Characteristics

- Three-points
- Cylinder and handle backset 49 mm
- Bolts Ø 20x14 mm with 16 mm travel
- Bar travel 18 mm

Pair with Defender®
DF..., TOP SYSTEM, BASIC

WARNING: For use half cylinder, we recommend the type B (half cylinder 30 mm thickness locks - CP4BXX, CP8BXX ...) check available space.

93140INF	93252INF
93271	93277

It is RECOMMENDED to use
CHAMPIONS® security cylinders



85.130


Three-points mortise-type for cylinder without latchbolt

Cylinder backset 49 mm
Bolt travel 16 mm
Bar travel 18 mm

The lock is equipped with:
• Nickel-plated face plate
• striker plate art. 94373

The article is ambidextrous

Cylinders, reinforcements and other accessories are **NOT** included.



85.140


Three-points mortise-type for cylinder with latchbolt

operated by cylinder and $\square$ 8 handle square.
Cylinder and handle backset 49 mm
Bolt travel 16 mm
Bar travel 18 mm

The lock is equipped with:
• Nickel-plated face plate
• striker plate art. 94318

The article is reversible

Cylinders, reinforcements and other accessories are **NOT** included.



85.145


Three-points mortise-type for cylinder with adjustable roller

Cylinder backset 49 mm
Bolt travel 16 mm
Bar travel 18 mm

The lock is equipped with:
• Nickel-plated face plate
• striker plate art. 94372


The article is ambidextrous

Cylinders, reinforcements and other accessories are **NOT** included.



85.240/2 MORTISE-TYPE

**MADE
IN
ITALY**



It is RECOMMENDED to use
CHAMPIONS® security cylinders




85.240D/S

Three-points with latchbolt and 2 mortise-type switchlocks
operated by key and $\square$ 8 handle square.
Key and handle backset: 52.3 mm
Bolts $\varnothing$ 20x14 mm with 16 mm travel
Reversible latchbolt

Supplied with :

- 2 switchlocks with 2 bolts art. 96299
- 1 fixing channel mm 2110 x 30
- 1 extended face plate mm 2110 x 30
- 1 striker plate mm 2110 x 40

The article is supplied left or right-hand (specify in the order). Cylinders, reinforcements and other accessories are **NOT** included.



Use MOTTURA Defender®



 **Defender®** is a registered trademark of MOTTURA

85.579


MADE
IN
ITALY

Characteristics

- Side and Three-points
- Cylinder and handle backset 64 mm
- Bolts Ø 20x14 mm with 36 mm travel

Pair with Defender®
DF..., TOP SYSTEM, BASIC

WARNING: For use half cylinder, we recommend the type B (half cylinder 30 mm thickness locks - CP4BXX, CP8BXX ...) check available space.



It is RECOMMENDED to use
CHAMPIONS® security cylinders




RIM LOCK

MORTISE-TYPE

85.578

85.778


Side for cylinders with latchbolt
activated by cylinder and $\square$ 8 handle square.
Cylinder and handle backset 64 mm
Bolt travel 36 mm
The article is reversible
Cylinders, reinforcements and other accessories are **NOT** included.



85.579

85.779

Three-points for cylinder with latchbolt
activated by cylinder and $\square$ 8 handle square.
Cylinder and handle backset 64 mm
Bolt travel 36 mm
Bar travel 20 mm
The article is reversible
Cylinders, reinforcements and other accessories are **NOT** included.



85.8100

MADE
IN
ITALY

Characteristics


- Three-points
- Cylinder and handle backset 63 mm
- Round bolts Ø 18 mm with 32 mm travel
- Bar travel 32 mm

As standard

locks are supplied with:

- Block lever on bolts 

Pair with Defender®
DF...., TOP SYSTEM, BASIC



It is RECOMMENDED to use
CHAMPIONS® security cylinders



RIM LOCK

MORTISE-TYPE

85.8100...B


..B Block lever on bolts

Three-points for cylinder

Bolts and bars activated by  8 handle square.
Lock blocking with cylinder - Cylinder and handle backset 63 mm
Round bolts Ø 18 mm with 32 mm travel
Bar travel 32 mm

The article is ambidextrous

Cylinders, reinforcements and other accessories are **NOT** included.



85.371

MADE
IN
ITALY

Characteristics

Variation in centre distance:/28 -/37

- Three-points
- Cylinder and handle backset 63 mm
- Round bolt Ø 18 mm with 29 mm travel
- Bar travel 20 mm

On request

locks can be supplied with:

- block lever on bolts
- burglar-proof device (cylinder extraction)
- U certification

Pair with Defender®
DF...., TOP SYSTEM, BASIC



94254..



9851119..N



It is RECOMMENDED to use
CHAMPIONS® security cylinders



Available with lateral fastner / extended bolts (see beginning of chapter)

RIM LOCK

MORTISE-TYPE

85.371...N

85.971...N

..N Basic equipment

..B Block lever on bolts

..T Burglar-proof device

..Q Reinforcement on the bolts + Burglar-proof (B+T)


Three-points with latchbolt for cylinder

Latchbolt Ø 20 mm operated by cylinder and 8 handle square.

Reversible latchbolt

The article is supplied left or right-hand (specify in the order)

Cylinders, reinforcements and other accessories are **NOT** included.



85.383...N

85.983...N

..N Basic equipment

..B Block lever on bolts


..T Burglar-proof device

..Q Reinforcement on the bolts + Burglar-proof (B+T)


Three-points for cylinder

The article in **T** and **Q** version is supplied right or left (specify in the order)

Cylinders, reinforcements and other accessories are **NOT** included.



85.371 SVI



Characteristics

Variation in centre distance: .../28

- Three-points
- Cylinder and handle backset 63 mm
- Round bolts Ø 18 mm with 29 mm travel
- Bar travel 20 mm

On request



locks can be supplied with:

- block lever on bolts **B** 
- burglar-proof device
(cylinder extraction) **T** 
- **U**   certification

THE USE OF CHAMPIONS®
SERIES SP8D../SP6D../S55D..
CYLINDERS IS RECOMMENDED
(see section "Special cylinders"
in the CHAMPIONS® catalogue)



It is RECOMMENDED to use
CHAMPIONS® security cylinders



RIM LOCK				MORTISE-TYPE
	85.371SVI..N		85.971SVI..N	
		..N Basic equipment		
		..B Block lever on bolts		
		..T Burglar-proof device		
		..Q Reinforcement on the bolts + Burglar-proof (B+T)		
	Three-points with latchbolt for cylinder Latchbolt Ø 20 mm operated by cylinder and  8 handle square. Reversible latchbolt The article is supplied left or right-hand (specify in the order) Cylinders, reinforcements and other accessories are NOT included. 			
				

85.571

MADE
IN
ITALY



Available with lateral fastener / extended bolts (see beginning of chapter)

Characteristics

Variation in centre distance: / 28 - / 37

- Side and Three-points
- Cylinder and handle backset 63 mm
- Round bolts Ø 18 mm with 29 mm travel
- All articles are supplied left or right version (specify in the order)


On request

locks can be supplied with:

- block lever on bolts
- burglar-proof device (cylinder extraction)
- certification

Pair with Defender®

DF...., TOP SYSTEM, BASIC



It is RECOMMENDED to use
CHAMPIONS® security cylinders



RIM LOCK

MORTISE-TYPE

85.571...N

85.771...N

..N Basic equipment

..B Block lever on bolts

..T Burglar-proof device

..Q Reinforcement on the bolts + Burglar-proof (B+T)

Three-points with latchbolt for cylinder

Ø 20 mm latchbolt activated by cylinder and 8 handle square.

Reversible latchbolt. Bar travel 20 mm

The article is supplied left or right-hand (specify in the order)

Cylinders, reinforcements and other accessories are **NOT** included.

85.582...N

85.782...N

..N Basic equipment

..B Block lever on bolts

..T Burglar-proof device

..Q Reinforcement on the bolts + Burglar-proof (B+T)

Three-points for cylinder

The article in **T** and **Q** version is supplied right or left (specify in the order)

Cylinders, reinforcements and other accessories are **NOT** included.

85.583...N

85.783...N

..N Basic equipment

..B Block lever on bolts

..T Burglar-proof device

..Q Reinforcement on the bolts + Burglar-proof (B+T)

Three-points for cylinder

Bar travel 20 mm

The article in **T** and **Q** version is supplied right or left (specify in the order)

Cylinders, reinforcements and other accessories are **NOT** included.

85.515W

MADE
IN
ITALY

Characteristics

Variation in centre distance: /28 - /37

- Three-points
- Cylinder and handle backset 64 mm
- Round bolts Ø 18 mm with 29 mm travel


The article is reversible

Pair with Defender®
DF...., TOP SYSTEM, BASIC

It is RECOMMENDED to use
CHAMPIONS® security cylinders



94.342 28/37



Available with lateral fastener / extended bolts
(see beginning of chapter)

RIM LOCK

MORTISE-TYPE



LEFT VERSION

85.515W..N

85.535W..N

..N Basic equipment

Three-points with latchbolt for cylinder
Ø 19 mm latchbolt activated by cylinder and $\square$ 8 handle square.
Reversible latchbolt
Bar travel 20 mm
Cylinders, reinforcements and other accessories are **NOT** included



85.571W

MADE
IN
ITALY

Characteristics

Variation in centre distance: /28 - /37

- Three-points
- Cylinder and handle backset 63 mm
- Round bolts Ø 18 mm with 29 mm travel

The article is reversible


Pair with Defender®
DF...., TOP SYSTEM, BASIC

It is RECOMMENDED to use
CHAMPIONS® security cylinders



94254..


94001



Available with lateral fastener / extended bolts
(see beginning of chapter)

RIM LOCK

MORTISE-TYPE



85.571W..N

85.771W..N

..N Basic equipment

Three-points with latchbolt for cylinder
Ø 19 mm latchbolt activated by cylinder and $\square$ 8 handle square.
Reversible latchbolt
Bar travel 20 mm
The article is REVERSIBLE - DOUBLE "special" Mottura attachment
Cylinders, reinforcements and other accessories are **NOT** included



85.391

MADE
IN
ITALY

Characteristics

Special HOOK bolt

- Three-points
- **Cylinder and handle backset 73 mm**
- Bolt with 29 mm travel
- Bar travel 20 mm


On request

locks can be supplied with:

- block lever on bolts **B**
- burglar-proof device (cylinder extraction) **T**

Pair with Defender®
DF..., TOP SYSTEM, BASIC

It is RECOMMENDED to use
CHAMPIONS® security cylinders



RIM LOCK

MORTISE-TYPE

85.391...N

85.991...N

..N Basic equipment

..B Block lever on bolts

..T Burglar-proof device

..Q Reinforcement on the bolts + Burglar-proof (B+T)



Three-points with latchbolt for cylinder

Latchbolt Ø 20 mm operated by cylinder and 8 handle square.

Reversible latchbolt

The article is supplied left or right-hand (specify in the order)

Cylinders, reinforcements and other accessories are **NOT** included.



Use **SWITCHLOCKS**
(Order separately:
see section 96)

96.371 - 96.371I


94.347

94.346



85.555

MADE
IN
ITALY



Characteristics

Variation in centre distance mm 25

- Three-points
- Cylinder backset 63 mm
- Round bolts Ø 18 mm with 29 mm travel
- Bar travel 17 mm
- All articles are supplied either left or right version (specify in the order)

On request

locks can be supplied with:

- burglar-proof device (cylinder extraction) **T**

Pair with Defender®
DF..., TOP SYSTEM, BASIC

94220



It is RECOMMENDED to use
CHAMPIONS® security cylinders



RIM LOCK

MORTISE-TYPE



85.555...N

85.735...N

..N Basic equipment

..T Burglar-proof device

Three-points for cylinders with latchbolt

Ø 18 latchbolt activated by cylinder and 8 handle square.
Handle backset 150 mm. Cylinders, reinforcements and other accessories are **NOT** included.



85.556...N

85.736...N

..N Basic equipment

..T Burglar-proof device

Three-points for cylinder without latchbolt

Cylinders, reinforcements and other accessories are **NOT** included.



85.557...N

..N Basic equipment

..T Burglar-proof device

Three-points for cylinders with latchbolt

Ø 18 latchbolt activated by cylinder and 8 handle square.
Variation in centre distance mm 50
Handle backset 150 mm. Cylinders, reinforcements and other accessories are **NOT** included.



85.558...N

..N Basic equipment


..T Burglar-proof device

Three-points for cylinder without latchbolt

Variation in centre distance mm 50
Cylinders, reinforcements and other accessories are **NOT** included.

85.589

MADE IN ITALY



Characteristics

Lock for double cylinder

Variation in centre distance: / 28 - / 37

- Side (lower lock) and Three-points (upper lock)
- Cylinder and handle backset 63 mm
- Round bolts Ø 18 mm with 29 mm travel for upper lock
- Round bolt Ø 18 mm with 22 mm travel for lower lock
- Bar travel 20 mm
- All articles are supplied either left or right version (specify in the order)


On request

locks are supplied with:

- block lever on bolts **B**
- burglar-proof device (cylinder extraction) **T**
- **U** certification

Pair with Defender® DF..., TOP SYSTEM, BASIC

It is RECOMMENDED to use CHAMPIONS® security cylinders



Available with lateral fastener / extended bolts (see beginning of chapter)

RIM LOCK

MORTISE-TYPE

85.588...N

85.788...N



Three-points for double cylinder - Independent half-opening and nightlatch.

Upper lock with 20 mm Ø latchbolt activated by cylinder and 8 handle square.


Reversible latchbolt. Lower lock **side** activates latchbolt, nightlatch and upper lock blocking. Lower lock with independent half-opening.

Cylinders, reinforcements and other accessories are **NOT** included.

Dependent locks. Activate A first, then proceed with B.

85.589...N

85.789...N









Three-points for double cylinder

Upper lock with Ø 20 mm latchbolt activated by cylinder and 8 handle square.

Reversible latchbolt. Lower lock **side** activates latchbolt.


Cylinders, reinforcements and other accessories are **NOT** included.

Independent locks.

RIM LOCK				MORTISE-TYPE	
	85.595...N		85.795...N		
	..N Basic equipment				
	..B Block lever on bolts				
	..T Burglar-proof device				
	..Q Reinforcement on the bolts + Burglar-proof (B+T)				
	Three-points for double cylinder - Upper lock blocking Upper lock with Ø 20 mm latchbolt activated by cylinder and  8 handle square. Reversible latchbolt. Lower lock side activates latchbolt and upper lock blocking. Cylinders, reinforcements and other accessories are NOT included. Dependent locks. Activate A first, then proceed with B. 				
	85.595..W..N				
	..N Basic equipment				
	..B Block lever on bolts				
	..T Burglar-proof device				
	..Q Reinforcement on the bolts + Burglar-proof (B+T)				
	Three-points for double cylinder - Upper lock blocking Upper lock with Ø 20 mm latchbolt activated by cylinder and  8 handle square. Reversible latchbolt. Lower lock activates latchbolt and upper lock blocking. Cylinders, reinforcements and other accessories are NOT included. Dependent locks. Activate A first, then proceed with B. 				
	85.596...N				
	..N Basic equipment				
	..B Block lever on bolts				
	..T Burglar-proof device				
	..Q Reinforcement on the bolts + Burglar-proof (B+T)				
	Three-points for double cylinder - Upper lock blocking Upper lock with Ø 20 mm latchbolt activated by cylinder and  8 handle square. Reversible latchbolt. Lower lock side activates latchbolt and upper lock blocking. Cylinders, reinforcements and other accessories are NOT included. Dependent locks. Activate A first, then proceed with B. Independent lower lock. 				
94.275	94.240F		94.296		
					

85.462

MADE
IN
ITALY



Characteristics

- Three-points and Five-points
- Cylinder and handle backset 70 mm
- Round bolts Ø 18 mm with 40 mm travel
- Bar travel 40 mm
- All articles are supplied either left or right version (specify in the order)
- **Interchangeable with art. 64.561/562**

On request

locks can be supplied
in full configuration **Q (B+T)**

with block lever on the bolts **B**

+ burglar-proof device (cylinder extraction) **T**

Pair with Defender®
DF..., TOP SYSTEM, BASIC

It is RECOMMENDED to use
CHAMPIONS® security cylinders



85.461...N


Version

..N Basic equipment

..Q Reinforcement on the bolts + Burglar-proof (B+T)

Three-points "SERRABLINDA",
with bolts operated by knob
and block with cylinder
Ø 20 latchbolt activated by cylinder
and lower 8 handle square.
Reversible latchbolt

The article is supplied left or right-hand
(specify in the order)
Cylinders, reinforcements and other accessories
are **NOT** included.



85.462...N




Version

..N Basic equipment

..Q Reinforcement on the bolts + Burglar-proof (B+T)

Five-points "SERRABLINDA",
with bolts operated by knob
and block with cylinder
Ø 20 latchbolt actuated by cylinder
and lower 8 handle square.
Reversible latchbolt

The article is supplied left or right-hand
(specify in the order)
Cylinders, reinforcements and other accessories
are **NOT** included.



Available with lateral fastener,
extended bolts + 40 / + 70 mm
add letter to code

94.077/761



94.219




94.239



85.561

MADE
IN
ITALY



Characteristics

- Three-points
- Cylinder and handle backset 70 mm
- Round bolts Ø 18 mm with 40 mm travel
- Bar travel 30 mm
- All articles are supplied either left or right version (specify in the order)

Not interchangeable with art. 64.561/562

Pair with Defender®
DF..., TOP SYSTEM, BASIC


It is RECOMMENDED to use
CHAMPIONS® security cylinders



85.561...N

**Three-points "SERRABLINDA",
with bolts operated by knob
and block with cylinder**
Ø 20 latchbolt activated by cylinder



The article is supplied left or right-hand
(specify in the order)
Cylinders, reinforcements and other accessories
are **NOT** included.



85.568...N

**Three-points "SERRABLINDA",
with bolts and latchbolt operated by knob
and block with cylinder**
Ø 20 latchbolt activated by knob

The article is supplied left or right-hand
(specify in the order)
Cylinders, reinforcements and other accessories
are **NOT** included.



Available with lateral fastener,
add letter to code

94.077/8561




94.219



85.574

MADE
IN
ITALY



Characteristics

Lock for double cylinder

- Side (lower lock) and Three-points (upper lock)
- Cylinder and handle backset 63 mm
- Round bolts Ø 18 mm with 29 mm travel for upper lock
- Round bolts Ø 18 mm with 29 mm travel for lower lock
- Bar travel 20 mm
- All articles are supplied either left or right version (specify in the order)

On request

locks are supplied with:

- block lever on bolts **B**
- burglar-proof device (cylinder extraction) **T**
- **U** certification

Pair with Defender®
DF..., TOP SYSTEM, BASIC

94267..



It is RECOMMENDED to use
CHAMPIONS® security cylinders



RIM LOCK

MORTISE-TYPE

85.574...N

85.774...N

..N Basic equipment

..B Block lever on bolts

..T Burglar-proof device

..Q Reinforcement on the bolts + Burglar-proof (B+T)



Three-points for double cylinder - Upper lock blocking

Upper lock with Ø 20 mm latchbolt activated by cylinder and 8 handle square.

Reversible latchbolt. Lower lock **side** activates latchbolt and upper lock blocking.

Cylinders, reinforcements and other accessories are **NOT** included.

Dependent locks. Activate A first, then proceed with B.



FOR ACCESSORIES AND SPARE PARTS SERIES 85 REFER TO



BARS

93

94

FACE PLATES
STRIKER PLATES



95

ESCUTCHEONS



SWITCHLOCKS

96

99

VARIOUS
ACCESSORIES

