



EUROPROFILE SECURITY CYLINDERS



safeguarding your security

CHAMPIONS

HIGH SECURITY CYLINDERS



- 1 **Mottura MM key profile** 
- 2 **Anti snap** shear in the event of break-in
- 3 **Updated internal anti-burglary devices** to counter the most common picking techniques, key decoding and break-in attempts

- 4 **Bumping and Picking resistant.** Test report BSI (C10-PRO/MODULAR C28PLUS - C39)
Certified by ICIM (CP6 - C55).



- 5 **Tracing resistant:** coding is protected against break-in techniques based on the "tracing" or "impression" of the key.



- 6 **Key head, for GOLD series only,** ergonomic for a more comfortable use. The technical setup provides strength and security.

- 7 **Round colourful inserts** to make to keys easy to recognize. **They only have visual function.** A touch of colour for the new key heads

- 8 **Triangular colourful key head shells** (Champions C55) to easily identify the key function

PLATINUM
SERIES



C3D



5 surfaces
EXCLUSIVE SECURITY



PROTECTED and CONTROLLED key
duplication ONLY in Mottura



C55



Triple power
TOP SECURITY



PROTECTED and CONTROLLED key
duplication ONLY in Mottura



GOLD
SERIES



CP6



Multidesmo power
ANTI-TRACING



Duplication protected
ONLY in Mottura Clubs



C39



Magnet power
ANTI-PICK



Duplication protected
ONLY in Mottura Clubs



C28PLUS



Mobile element
DUPLICATE PROTECTION



Duplication protected
ONLY in Mottura Clubs



SILVER
SERIES



PRO/MODULAR



Mathematical key
DUPLICATE PROTECTION



Duplication only at
Authorized Centers and Mottura Club



C10



Profile controls
BASIC PROTECTION




Key duplication at qualified
dealers or Mottura Centres



CHAMPIONS

HIGH SECURITY CYLINDERS




FINISHES

Brushed nickel-plated finish to better integrate with the supplied accessories (on request in brushed brass finish)


DOUBLE CYLINDERS KEY / KEY

On request also available in the EMERGENCY function version (opens from the outside even with the key inserted inside)




KEY / ADJUSTABLE KNOB PROVISION

Adjustable Knob $\varnothing$ 8 mm




CYLINDERS WITH KNOB PROVISION

Knob attachment $\varnothing$ 8mm



THUMB TURN CYLINDERS

Knob attachment $\varnothing$ 8mm
Removable knob



HALF CYLINDER

For 14/20 mm thickness locks



HALF CYLINDER

For 30 mm thickness locks



MOTTURA CHAMPIONS® SECURITY CYLINDERS CERTIFIED UNI EN 1303 HIGHLY RESISTANT TO BUMPING AND PICKING

Mottura Champions® security cylinders are certified by ICIM INSTITUTE, according to the European reference standard UNI EN 1303, and achieved the maximum degree in any parameter required as HIGHLY resistant to bumping and picking.



Category of use ①	Durability ②	Door mass ③	Suitability for use on fire/smoke doors ④	Safety ⑤	Corrosion resistance ⑥	Key security ⑦	Drill resistance ⑧
1	6	0	B	0	C	6	D

C10 - CP4 - MODULAR C28 PLUS - C39 CERTIFIED by the ICIM body as resistant to picking TESTED as resistant to bumping and picking (according to BSI / TS007).



CP6 - C55 CERTIFIED by the ICIM body as resistant to bumping and picking

"picking" resistance ⑨	"bumping" resistance ⑩
Pass	X

- ① Used by people who know how to use it and with little possibility of misuse
- a single class characterized by the No. 1
- ② Maximum resistance obtainable in duration testing (100,000 cycles)
The reference standard foresees 3 levels:
- Level 4 - 25000 cycles
- Level 5 - 50000 cycles
- Level 6 - 100000 cycles
- ③ No requirement requested
- ④ Suitable for use on smoke/fire proof doors.
The reference standard foresees 2 levels:
- Level 0 - unsuitable for use on smoke/fire proof doors
- Level A - suitable for use on smoke proof doors
- Level B - suitable for use on smoke/fire proof doors
- ⑤ No requirement requested, referring to the safety of persons (safety)
- ⑥ Maximum classification, high resistance to corrosion (96h) and temperature
The reference standard foresees 4 levels:
- Level 0 - no requirement of corrosion and temperature resistance
- Level A - high resistance to corrosion and no requirement to temperature resistance
- Level B - no requirement of corrosion resistance and temperature resistance from -20°C++80°C
- Level C - high resistance to corrosion and temperature from -20°C++80°C
- ⑦ Maximum classification in terms of key identification requirements.
The reference standard foresees 6 levels:
- One of the characteristics is the number of different possible combinations ranging from a minimum of 100 combinations (level 1) to a maximum of at least 100,000 (level 6)
- ⑧ Maximum classification in terms of resistance to drilling and mechanical forcing.
The reference standard foresees 3 levels:
- Level 0 - no resistance requirement to drilling/mechanical forcing
- Level A - 3/5 minutes of resistance to drilling/mechanical forcing except plug/cylinder extraction
- Level B - 5/10 minutes of resistance to drilling/mechanical forcing except plug/cylinder extraction
- Level C - 3/5 minutes of resistance to drilling/mechanical forcing
- Level D - 5/10 minutes of resistance to drilling/mechanical forcing
- ⑨ Resistance to "PICKING"
- ⑩ Resistance to "BUMPING"

The packaging of the security cylinder resistant to Bumping are marked with the acronyms **BKC**.

Download the certificates and Test Reports directly from our site
<https://www.mottura.it/en/download/product-certifications/high-security-cylinders-certifications>



CHAMPIONS


HIGH SECURITY CYLINDERS

BREAK with iron tube



Snapping protection

Champions® cylinders are designed so such that, in the event of a break-in, a cut favors the controlled breaking of the cylinder, avoiding that a passage hole remains open on the lock, from which the door could be opened. However, it is still possible to open with the key from the outside.



HOME PROTECTION



Defender®



cylinder protection
ORIGINAL MOTTURA

ENSURE THE BEST PROTECTION FOR YOUR HOME

MAXIMUM PROTECTION of the cylinder with **MOTTURA Defender® (DF..-TOP SYSTEM-BASIC)** to protect the key entry by the action of an external agent (flexible, drill, pliers, cutter, iron pipe).



Keys duplication

The key blanks managed and controlled at source by Mottura Spa, are distributed exclusively to the Mottura Clubs and therefore constitute the best guarantee against unauthorised duplication.

The MM profile characterizes the section of all Champions® keys.



**Keys
duplication
not
authorized**



Apply with confidence to the authorized centres showing this mark.
A consultant will give you the right advice for every need.



KEY COLORS AND DESIGN

with key head, **ONLY** for the **GOLD** series,
even more ergonomic to make use more comfortable.
Technical setup that conveys **robustness** and **safety**.

COLORED INSERTS ON THE KEY HEAD


Colourful plastic pin to make the key
easy to be recognized.

This part has aesthetic meaning only.

An additional touch of colour
for the new grips.



Triangular colourful inserts
to identify the function according
to the **MASTER** system



Colourful key head shells
to identify the function according
to the master system.

CHAMPIONS

HIGH SECURITY CYLINDERS

Personalized

Several type of customizations are available on Champions® cylinders :

- grip color different from standard
- protected Key profile
- Neutral packaging (white)
- Neutral instructions

- personalized card with customer's name
- Keys with customer's logo on one side of the grip (SILVER e GOLD SERIES)

For costs, minimum quantity and other types of customizations contact the company.



EXAMPLE OF STANDARD GRIP
GOLD SERIES



EXAMPLE OF A PERSONALIZED GRIP
GOLD SERIES



Package



The box




keys blister




The sealed packet

Function symbols used




The "MM" key profile is a registered trademark that guarantees higher security against illegal key duplication.

Anti-pick magnet plate on the key.




Patented side profile controls, exclusive "mathematical" key protection system

Desmodromic track combined with rotating coaxial pins.




Anti snap shear in the event of break-in.

Possibility to realize cylinder with "Construction Key" function.



Rest position of the cam 30° off-centre respect the cylinder.

Possibility to realize cylinder in VARIO version (3 levels).



Emergency function cylinders available.

Possibility to realize cylinder in SET&RESET version.



Bumping and Picking resistant, certified by ICIM to the highest levels established by the VOLUNTARY reference standard.

Possibility to realize MASTER KEY SYSTEM type KA - MK - GMK - GGMK - CC - CG - TANDEM - TANDEM CA



Tracing resistant: coding is protected against break-in techniques based on the "tracing" or "impression" of the key.

KEY DUPLICATION BY MOTTURA CENTRE OR MOTTURA CLUB.



Cylinders with extendible modules for CHAMPIONS® MODULAR.

PROTECTED KEY DUPLICATION BY MOTTURA CLUB CENTRE.





Patented key provided with a mobile element to protect key duplication.


PROTECTED AND CONTROLLED KEY DUPLICATION DIRECTLY IN THE FACTORY, UPON REQUEST TO A MOTTURA CLUB CENTRE.



CHAMPIONSC10




- Brushed nickel-plated finish (brushed brass finish on request).
- Shell and plug protected against drilling (hardened steel pins, spheres, pins and caps).
- 5 coding pins including pins and counterpins (tempered steel anti-picking).
- 2x upper profile control pins
- 2x side profile control pins
- All thumb turn cylinders or provision for knob are supplied with emergency function.
- The sealed packet includes cylinder, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
- The cylinders marked "BKC" are "PICKING" resistant (ICIM certified) and "BUMPING" resistant (BSI/ TS007 tested).



Key duplication at qualified dealers or Mottura Centres

CHAMPIONS® C10 key duplication is OPEN and recommended at MOTTURA dealers. The presentation of the personal property card, which accompanies each set of keys in the package, is not essential but, if presented, guarantees the type of duplication and the real ownership of the cylinder. The numbers printed on the card match with the numbers printed on the keys.

CHAMPIONS^{PRO}



- Brushed nickel-plated finish (brushed brass finish on request).
- Shell and plug protected against drilling (hardened steel pins, spheres, pins and caps).
- 6 coding pins including pins and counterpins (tempered steel anti-picking).
- Patented side profile controls, aligned and shaped that, in case of picking, bumping and tracing, irreversibly block the cylinder, preventing the opening.
- All thumb turn cylinders or provision for knob are supplied with emergency function.
- The sealed packet includes cylinder, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
- The cylinders marked "BKC" are "PICKING" resistant (ICIM certified) and "BUMPING" resistant (BSI/ TS007 tested).
- The cylinders marked **TRC** are certified as "TRACING" resistant.

The A2P version can be supplied subject to use in combination with Mottura A2P locks.





Duplication only at Authorized Centers

CHAMPIONS[®] PRO key duplication is allowed at Authorized Centres upon presentation of the personal property card, which comes out with each set of keys in the package: the numbers printed on the card match with the numbers printed on the keys. The advantage of CHAMPIONS[®] PRO security cylinders is to have a faster duplicate, at a network of specialized centers duplication.


For the protected profiles and personalized package, the key DUPLICATION is RESERVED to the customer / dealer or its subsidiaries.

CHAMPIONSMODULAR



- CHAMPIONS® MODULAR is ideal to fit all doors thicknesses with sizes between 31-31 and 71-71 (up to 91-141 using the appropriate steel bar). A online configurator is available to easily compose the measurement of any type of cylinder.
 - Brushed nickel-plated finish (brushed brass finish on request).
 - Maintains all the security features of the Champions PRO
 - CHAMPIONS® MODULAR in addition to the choice of composition, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
 - The cylinders marked "BKC" are "PICKING" resistant (ICIM certified) and "BUMPING" resistant (BSI/ TS007 tested).
 - The cylinders marked TRC are certified as "TRACING" resistant.
- The A2P version can be supplied subject to use in combination with Mottura A2P locks.


Easy to assemble thanks to the appropriate tool




Duplication only at Authorized Centers

CHAMPIONS® PRO key duplication is allowed at Authorized Centres upon presentation of the personal property card, which comes out with each set of keys in the package: the numbers printed on the card match with the numbers printed on the keys.

For the protected profiles and personalized package, the key DUPLICATION is RESERVED to the customer / dealer or its subsidiaries.




Configuration examples DOUBLE CYLINDER - KEY/KEY



EXAMPLE - DOUBLE CYLINDER - KEY/KEY - Measure 31-51 (82) (FRICTIONED)

N°	Article	Description	quantity
1	98CM2CC018	Double cylinder complete with fixing screw 3/5 keys + owner's card	1
2	98CAF323	20 mm extendible module for double cylinder	1
3	98C233045	Spacer for double cylinder 30/45	1
4	98CAF329 (98CAF281)	Stem and cam for double cylinder (Stem and cam for double frictioned cylinder)	1
5	98C23031	Grub screw M3x6	4


Configuration examples CYLINDERS WITH ADJUSTABLE KNOB PROVISION



EXAMPLE - CYLINDERS WITH ADJUSTABLE KNOB PROVISION - Measure 46-31 (77)

N°	Article	Description	quantity
1	98CM1CC018	Half cylinder complete with fixing screw 3/5 keys + owner's card	1
2	98CAF298 / 98CAF29930	Half cylinder with adjustable knob provision	1
3	98C233045	Spacer for double cylinder 30/45	1
4	98CAF330	Stem and cam for cylinder with fixed and adjustable knob	1
5	98CAF322	15 mm extendible module for double cylinder	1
6	98C23031	Grub screw M3x6	4



Configuration examples HALF CYLINDER



EXAMPLE - HALF CYLINDER FOR 30 mm THICKNESS LOCKS - Measure 51 (66) (14/20 mm THICKNESS LOCKS)


N°	Article	Description	quantity
1	98CM1CC018	Half cylinder complete with fixing screw 3/5 keys + owner's card	1
2	98C7805610 (98C7805605)	10 mm terminal spacer for half cylinder (type B) (5 mm terminal spacer for half cylinder (type M))	1
3	98CAF333	20 mm extendible module for half cylinder	1
4	98CAF338	Cam for half cylinder	1
5	98C1923245	Spacer for half cylinder 45	1
6	98C23031	Grub screw M3x6	3

CHAMPIONS C28PLUS



- Brushed nickel-plated finish (brushed brass finish on request).
- Shell and plug protected against drilling (hardened steel pins, spheres, pins and caps).
- 5 coding pins and hardened steel antipicking counter-pins to contrast the most common manipulation techniques, key decoding and break-in
- **“patented” mobile element**
- Patented upper profile controls, aligned and shaped that, in case of picking, bumping and tracing, irreversibly block the cylinder, preventing the opening.
- Key head, more comfort, more ergonomic.
- All thumb turn cylinders or provision for knob are supplied with emergency function.
- The sealed packet includes cylinder, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
- The cylinders marked “BKC” are “PICKING” resistant (ICIM certified) and “BUMPING” resistant (BSI/ TS007 tested).
- The cylinders marked TRC are certified as “TRACING” resistant.

The A2P version can be supplied subject to use in combination with Mottura A2P locks.



PROTECTED key duplication ONLY in MOTTURA CLUBS

The protected key duplication are supplied with a numbered owner's card, to be showed at the authorized MOTTURA CLUB centre together with the ORIGINAL KEY when a duplicate of the key is requested*.

The owner's card always corresponds to the original keys: the numbers printed on the card are the same as the ones printed on the keys.


The owner's card is then the only document which can be used to obtain key duplicates, and it must be stored carefully, in a safe place, to prevent unauthorized duplication.

* For the protected profiles and personalized package, the key DUPLICATION is RESERVED to the customer / dealer or its subsidiaries.





The new CHAMPIONS® C28PLUS keys with the new mobile element can also be used for the old production CHAMPIONS® C28PLUS cylinders but not vice versa.

CHAMPIONS C39



- Brushed nickel-plated finish (brushed brass finish on request).
- Shell and plug protected against drilling (hardened steel pins, spheres, pins and caps).
- **Magnetic positioning pins**
- 5 coding pins and hardened steel antipicking counter-pins.
- Up to 3 upper in-axis profile controls; in case of picking or bumping they block irreversibly the rotation of the cylinder.
- Up to 3 side profile controls.
- Key head, more comfort, more ergonomic.
- All thumb turn cylinders or provision for knob are supplied with emergency function.
- The sealed packet includes cylinder, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
- The cylinders marked "BKC" are "PICKING" resistant (ICIM certified) and "BUMPING" resistant (BSI/TS007 tested).
- The cylinders marked TRC are certified as "TRACING" resistant.

The A2P version can be supplied subject to use in combination with Mottura A2P locks.




PROTECTED key duplication ONLY in MOTTURA CLUBS

The protected key duplication are supplied with a numbered owner's card, to be showed at the authorized MOTTURA CLUB centre together with the ORIGINAL KEY when a duplicate of the key is requested*.



The owner's card always corresponds to the original keys: the numbers printed on the card are the same as the ones printed on the keys.

The owner's card is then the only document which can be used to obtain key duplicates, and it must be stored carefully, in a safe place, to prevent unauthorized duplication.


* For the protected profiles and personalized package, the key DUPLICATION is RESERVED to the customer / dealer or its subsidiaries.



CHAMPIONS CP6



- CHAMPIONS® CP6 combines two different coding systems: a traditional **THREE** rotating pins, the particular driving system pin (patented), free to rotate without springs, the false traces on the pins and the high number of possible combinations make it extremely difficult to manipulate and decode the key coding.
- Brushed nickel-plated finish (brushed brass finish on request).
- Shell and plug protected against drilling (hardened steel pins, spheres, pins and caps).
- Key head, more comfort, more ergonomic.
- 5x tempered steel anti-picking shaped top and bottom pins.
- "mathematical" upper profile control pin
- Patented side aligned profile controls that, in case of picking, bumping and tracing, irreversibly block the cylinder, preventing the opening.
- All thumb turn cylinders or provision for knob are supplied with emergency function.
- The sealed packet includes cylinder, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
- The cylinders marked BKC are certified as "**BUMPING**" and "**PICKING**" resistant.
- The cylinders marked TRC are certified as "**TRACING**" resistant.




PROTECTED key duplication ONLY in MOTTURA CLUBS

The protected key duplication are supplied with a numbered owner's card, to be showed at the authorized MOTTURA CLUB centre together with the ORIGINAL KEY when a duplicate of the key is requested*. The owner's card always corresponds to the original keys: the numbers printed on the card are the same as the ones printed on the keys. The owner's card is then the only document which can be used to obtain key duplicates, and it must be stored carefully, in a safe place, to prevent unauthorized duplication.



* For the protected profiles and personalized package, the key **DUPLICATION** is **RESERVED** to the customer / dealer or its subsidiaries.



CHAMPIONS[®]C55






- CHAMPIONS[®] C55 combines two different coding systems: a traditional **THREE** rotating pins, the particular driving system pin (patented), free to rotate without springs, the false traces on the pins and the high number of possible combinations make it extremely difficult to manipulate and decode the key coding.
- Brushed nickel-plated finish (brushed brass finish on request).
- Shell and plug protected against drilling (hardened steel pins, shperes, pins and caps).
- 5x tempered steel anti-picking shaped top and bottom pins.
- “mathematical” upper profile control pin.
- Patented side aligned profile controls that, in case of picking, bumping and tracing, irreversibly block the cylinder, preventing the opening.
- **“patented” mobile element.**
- All thumb turn cylinders or provision for knob are supplied with emergency function.
- The sealed packet includes cylinder, owner’s card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner’s card are sealed by the manufacturer.
- The cylinders marked BKC are certified as **“BUMPING”** and **“PICKING”** resistant.
- The cylinders marked TRC are certified as **“TRACING”** resistant.



PROTECTED and CONTROLLED key duplication ONLY in Mottura



The certified **PROTECTED** and **CONTROLLED** duplication of CHAMPIONS[®] C55 keys represents a further step in the “active” protection guaranteed by the CHAMPIONS[®] range. The duplicate control is already active since the duplicate request: the owner’s card, which comes with each set of original keys, must be presented to the authorized MOTTURA CLUB center along with an original key (for verification). Mottura Serrature di Sicurezza S.p.A. is the only entity that can **LEGALLY** duplicate the keys CHAMPIONS[®] C55, of which its “key blanks” are NOT on sale. The owner’s card is then the only document which can be used to obtain duplicates, and it has to be stored in a safe place. **Without ORIGINAL KEY and ORIGINAL CARD it is NOT possible to obtain duplicated keys.**




EXCLUSIVE SECURITY

- **C3D** allows to convert a euro profile cylinder lock in a 3Dkey lock without replacing it.
- It combines 3 different Mottura security systems: **Champions®** cylinder with adjustable stem inside, **Defender** protection with integrated 3Dkey body outside.
- Key (stem 20mm) with hexagonal profile composed by 3 coding layers (9pins) + 2 desmodromic "snakes" with special driving pins (patented), free to rotate and springless, false anti-picking notches visible on the pins and the high number of combinations make extremely difficult to manipulate and decode but make the rotation silent and smooth.
- Stator and rotor equipped with anti-drilling devices.
- Possibility of choosing the type and finish of the Defender® (BASIC, SPRING ADJUSTABLE or ADJUSTABLE WITH FIXED PITCH).
- The package includes the full set of cylinder (with spacer if necessary), security card, 5 keys, installation instruction and fixing screws. To guarantee the highest level of security the keys and the card are sealed in factory.

PROTECTED and CONTROLLED key duplication ONLY in Mottura

The duplication of C3D keys is **PROTECTED** and **CONTROLLED**.

The duplicate control is already active since the duplicate request: the owner's card, which comes with each set of original keys, must be presented to the authorized MOTTURA CLUB center along with an original key (for verification). Mottura Serrature di Sicurezza S.p.A. is the only entity that can LEGALLY duplicate the keys CHAMPIONS® C55, of which its "key blanks" are NOT on sale. The owner's card is then the only document which can be used to obtain duplicates, and it has to be stored in a safe place. **Without ORIGINAL KEY and ORIGINAL CARD it is NOT possible to obtain duplicated keys.**





The Finishes

Available on request the choice of the finish among those indicated
WITHOUT additional surcharge.


Cover **95500..** available separately only for neutral BASIC version.

Suitable for any euro profile cylinder lock with
centre distance of fixing points 38mm.



The Version

0 BASIC - Version with Basic Defender® diameter 50mm at fixed height 30mm. M6 fixings, 26/38 mm center distance. It is recommended to use the escutcheon 95.447 or 95511/512/513 not included in the package.



1 DF07-SPRING ADJUSTABLE

DF07 Defender® version - diameter 50 mm spring adjustable with a **steel escutcheon** (72 x 90 mm). M6 fixings, 38 mm center distance - 10 mm adjustment.




2 DF17-SPRING ADJUSTABLE

DF17 Defender® version - diameter 50 mm spring adjustable with **hardened steel (HRC 53) escutcheon** (65 x 90 mm). M6 fixings, 38 mm center distance - 10 mm adjustment.



3 DF08-Adjustable with fixed pitch

DF08 Defender® version - diameter 50 mm adjustable with fixed pitch with a **steel escutcheon** (72 x 90 mm). M6 fixings, 26/38 mm center distance - 6,5 mm adjustment.



4 DF18-Adjustable with fixed pitch

DF18 Defender® version - diameter 50 mm adjustable with fixed pitch with **hardened steel (HRC 53) escutcheon** (65 x 90 mm). M6 fixings, 26/38 mm center distance - 6,5 mm adjustment.





CODING

C	3	D	P	4	6	3	1	A	0
---	---	---	---	---	---	---	---	---	---

FAMILY
OF
PRODUCT

CYLINDER
TYPE

MEASURE
CYLINDER

DEFENDER
TYPE



KNOB
VERSION

KEY/KEY
VERSION

P
D

BASIC



Spring adjustable
steel escutcheon



Spring adjustable
hardened steel
escutcheon



Adjustable with
fixed pitch
steel escutcheon



Adjustable with fixed
pitch hardened steel
escutcheon



FINISHES



O
BRASS

C
CHROME

S
SATIN
CHROME

V
PVD GOLD


A
ANOD.
SILVER

B
ANOD.
BRONZE

N
BLACK

0
BASIC
without
cover

REPLACEMENT ESCUTCHEONS




PROTECTED and CONTROLLED key duplication ONLY in Mottura

HOW TO REQUEST KEY DUPLICATE



1



The customer has the owner's card along with an original key at a MOTTURA CLUB center.

2



The center sends the request directly to Mottura Serrature di Sicurezza S.p.A. which will produce physically duplicates then return them in a sealed pack, to MOTTURA CLUB center.

3




The MOTTURA CLUB center will deliver to the owner the sealed pack with the required duplicates.

Characteristics and standard equipment

	NON RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE	PROTECTED KEY DUPLICATION			PROTECTED AND CONTROLLED KEY DUPLICATION	
	C10	PRO MODULAR	C28PLUS	C39	CP6	C55	C3D
Key							
Cylinder certified UNI EN 1303	SI						
Reversible keys with plastic head	YES - WITH PLASTIC HEAD		YES - WITH NEW PLASTIC GRIP			YES - KEY HEAD SHELLS	NO
N° of keys supplied (standard)	3/5		3/5			5	5
Keys construction material	Nickel silver						
Drilling protection	Steel pins on the shell and plug						
Anti-thrust protection (protruding cam)	YES						YES
Anti snap protection	YES						NO
Finishes	Brushed nickel-plated						ON REQUEST
MM profile	NO	YES	YES			YES	NO
Technical characteristics	- 5 coding pins - Anti-picking pins - Upper profile controls pins - Side profile controls pins	- 6 coding pins - Anti-picking pins - Patented side and upper profile controls, aligned and shaped - Extendible modules (MODULAR)	- Mobile element on key - 5 coding pins - Anti-picking pins - Patented side and upper profile controls, aligned and shaped	- 6 coding pins - Active pin with magnetic positioning - Anti-picking pins - Patented upper profile controls, aligned and shaped - Side profile controls	- 5 coding pins - Double track with rotating pins - Anti-picking pins - Patented side and upper profile controls, aligned and shaped	- 5 coding pins - Double track with rotating pins - Mobile element on key - Anti-picking pins - Patented side and upper profile controls, aligned and shaped	- 9 coding pins - Double track with rotating pins - external DEFENDER® - cylinder with adjustable tang inside
Packet	Cylinder - 3/5 keys - Card - Fixing screw - Instructions					Cylinder - 5 keys - Card - Fixing screw - Instructions	Cylinder - Defender® 5 keys - Fixing screw Card - Instructions

Options on request

	NON RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE	PROTECTED KEY DUPLICATION			PROTECTED AND CONTROLLED KEY DUPLICATION	
	C10	PRO MODULAR	C28PLUS	C39	CP6	C55	C3D
Key							
Finish *	Brushed brass *						ON REQUEST
Emergency function	YES						
VARIO system	NO	YES	YES		NO	YES	YES
Construction key	YES						
Master key systems **	KA - CA - CC - CG - MK - GMK - GGMK - TANDEM - TANDEM CA						KA-CA
Systems ARMO E RIARMO e MATIC 1000	NO	YES	NO			NO	SET & RESET system ONLY
Additional keys	YES						
Protected profiles	NO	YES	YES			NO	NO


* Brushed brass finish : For delivery time and minimum quantity please contact the company.

** Master key systems can be produced with a determined number of cylinders only. Please contact the company.

The security card is the only document allowing the request of key duplication and must be retained in a safe place. Without CARD and ORIGINAL KEY it is impossible to request key duplicates. In case of loss or theft it will be possible to request a duplicate of the card at authorised centres Mottura Club upon presentation of a Police report (<https://www.mottura.it/it/contatti/duplicato-tessera-proprieta>).




DOUBLE CYLINDERS



NON RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE

		C10			PRO		
Quotas		Article			Article		
A	B - C		3 keys	5 keys		3 keys	5 keys
62	31-31	C10D313101			CP4D313101		
67	31-36	C10D313601			CP4D313601		
72	31-41	C10D314101			CP4D314101		
72	36-36	C10D363601			CP4D363601		
77	31-46	C10D314601			CP4D314601		
77	36-41	C10D364101			CP4D364101		
82	31-51	C10D315101			CP4D315101		
82	36-46	C10D364601			CP4D364601		
82	41-41	C10D414101			CP4D414101		
87	31-56	C10D315601			CP4D315601		
87	36-51	C10D365101			CP4D365101		
87	41-46	C10D414601			CP4D414601		
92	31-61	C10D316101			CP4D316101		
92	36-56	C10D365601			CP4D365601		
92	41-51	C10D415101			CP4D415101		
92	46-46	C10D464601			CP4D464601		
97	31-66	C10D316601			CP4D316601		
97	36-61	C10D366101			CP4D366101		
97	41-56	C10D415601			CP4D415601		
97	46-51	C10D465101			CP4D465101		
102	31-71	C10D317101			CP4D317101		
102	41-61	C10D416101			CP4D416101		
102	46-56	C10D465601			CP4D465601		
102	51-51	C10D515101			CP4D515101		
107	46-61	C10D466101			CP4D466101		
107	51-56	C10D515601			CP4D515601		
112	31-81	C10D318101			CP4D318101		
112	41-71	C10D417101			CP4D417101		
112	51-61	C10D516101			CP4D516101		
112	56-56	C10D565601			CP4D565601		
122	31-91	C10D319101			CP4D319101		
122	41-81	C10D418101			CP4D418101		
122	51-71	C10D517101			CP4D517101		
132	61-71	C10D617101			CP4D617101		

DOUBLE CYLINDERS "FRICTIONED"



NON RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE


		C10			PRO		
Quotas		Article			Article		
A	B - C		3 keys	5 keys		3 keys	5 keys
62	31-31	C10D3131F1			CP4D3131F1		
67	31-36	C10D3136F1			CP4D3136F1		
72	31-41	C10D3141F1			CP4D3141F1		
72	36-36	C10D3636F1			CP4D3636F1		
77	31-46	C10D3146F1			CP4D3146F1		
77	36-41	C10D3641F1			CP4D3641F1		
82	31-51	C10D3151F1			CP4D3151F1		
82	36-46	C10D3646F1			CP4D3646F1		
82	41-41	C10D4141F1			CP4D4141F1		
87	31-56	C10D3156F1			CP4D3156F1		
87	36-51	C10D3651F1			CP4D3651F1		
87	41-46	C10D4146F1			CP4D4146F1		
92	31-61	C10D3161F1			CP4D3161F1		
92	36-56	C10D3656F1			CP4D3656F1		
92	41-51	C10D4151F1			CP4D4151F1		
92	46-46	C10D4646F1			CP4D4646F1		
97	31-66	C10D3166F1			CP4D3166F1		
97	36-61	C10D3661F1			CP4D3661F1		
97	41-56	C10D4156F1			CP4D4156F1		
97	46-51	C10D4651F1			CP4D4651F1		
102	31-71	C10D3171F1			CP4D3171F1		
102	41-61	C10D4161F1			CP4D4161F1		
102	46-56	C10D4656F1			CP4D4656F1		
102	51-51	C10D5151F1			CP4D5151F1		
107	46-61	C10D4661F1			CP4D4661F1		
107	51-56	C10D5156F1			CP4D5156F1		
112	31-81	C10D3181F1			CP4D3181F1		
112	41-71	C10D4171F1			CP4D4171F1		
112	51-61	C10D5161F1			CP4D5161F1		
112	56-56	C10D5656F1			CP4D5656F1		
122	31-91	C10D3191F1			CP4D3191F1		
122	41-81	C10D4181F1			CP4D4181F1		
122	51-71	C10D5171F1			CP4D5171F1		
132	61-71	C10D6171F1			CP4D6171F1		

THUMB TURN CYLINDERS (REMOVABLE KNOB)




		NON RESTRICTED KEY DUPLICATION		KEY DUPLICATION BY AUTHORIZED CENTRE			
		C10		PRO			
Quotas		Article			Article		
A	B - C		3 keys	5 keys		3 keys	5 keys
62	31-31	C10F313101R			CP4F313101R		
67	31-36	C10F313601R			CP4F313601R		
67	36-31	C10F363101R			CP4F363101R		
72	31-41	C10F314101R			CP4F314101R		
72	36-36	C10F363601R			CP4F363601R		
72	41-31	C10F413101R			CP4F413101R		
77	31-46	C10F314601R			CP4F314601R		
77	36-41	C10F364101R			CP4F364101R		
77	46-31	C10F463101R			CP4F463101R		
77	41-36	C10F413601R			CP4F413601R		
82	31-51	C10F315101R			CP4F315101R		
82	36-46	C10F364601R			CP4F364601R		
82	41-41	C10F414101R			CP4F414101R		
82	51-31	C10F513101R			CP4F513101R		
82	46-36	C10F463601R			CP4F463601R		
87	31-56	C10F315601R			CP4F315601R		
87	36-51	C10F365101R			CP4F365101R		
87	41-46	C10F414601R			CP4F414601R		
87	56-31	C10F563101R			CP4F563101R		
87	51-36	C10F513601R			CP4F513601R		
87	46-41	C10F464101R			CP4F464101R		
92	31-61	C10F316101R			CP4F316101R		
92	36-56	C10F365601R			CP4F365601R		
92	41-51	C10F415101R			CP4F415101R		
92	46-46	C10F464601R			CP4F464601R		
92	61-31	C10F613101R			CP4F613101R		
92	56-36	C10F563601R			CP4F563601R		
92	51-41	C10F514101R			CP4F514101R		
97	46-51	C10F465101R			CP4F465101R		
97	51-46	C10F514601R			CP4F514601R		
102	31-71	C10F317101R			CP4F317101R		
102	41-61	C10F416101R			CP4F416101R		
102	51-51	C10F515101R			CP4F515101R		
102	71-31	C10F713101R			CP4F713101R		
102	61-41	C10F614101R			CP4F614101R		
107	56-51	C10F565101R			CP4F565101R		
112	31-81	C10F318101R			CP4F318101R		
112	51-61	C10F516101R			CP4F516101R		
112	56-56	C10F565601R			CP4F565601R		
112	81-31	C10F813101R			CP4F813101R		
112	61-51	C10F615101R			CP4F615101R		
122	31-91	C10F319101R			CP4F319101R		
122	91-31	C10F913101R			CP4F913101R		

CYLINDERS WITH KNOB PROVISION




		NON RESTRICTED KEY DUPLICATION		KEY DUPLICATION BY AUTHORIZED CENTRE			
		C10		PRO			
Quotas		Article			Article		
A	B - C		3 keys	5 keys		3 keys	5 keys
62	31-31	C10F313101			CP4F313101		
67	31-36	C10F313601			CP4F313601		
67	36-31	C10F363101			CP4F363101		
72	31-41	C10F314101			CP4F314101		
72	36-36	C10F363601			CP4F363601		
72	41-31	C10F413101			CP4F413101		
77	31-46	C10F314601			CP4F314601		
77	36-41	C10F364101			CP4F364101		
77	46-31	C10F463101			CP4F463101		
77	41-36	C10F413601			CP4F413601		
82	31-51	C10F315101			CP4F315101		
82	36-46	C10F364601			CP4F364601		
82	41-41	C10F414101			CP4F414101		
82	51-31	C10F513101			CP4F513101		
82	46-36	C10F463601			CP4F463601		
87	31-56	C10F315601			CP4F315601		
87	36-51	C10F365101			CP4F365101		
87	41-46	C10F414601			CP4F414601		
87	56-31	C10F563101			CP4F563101		
87	51-36	C10F513601			CP4F513601		
87	46-41	C10F464101			CP4F464101		
92	31-61	C10F316101			CP4F316101		
92	36-56	C10F365601			CP4F365601		
92	41-51	C10F415101			CP4F415101		
92	46-46	C10F464601			CP4F464601		
92	61-31	C10F613101			CP4F613101		
92	56-36	C10F563601			CP4F563601		
92	51-41	C10F514101			CP4F514101		
97	46-51	C10F465101			CP4F465101		
97	51-46	C10F514601			CP4F514601		
102	31-71	C10F317101			CP4F317101		
102	41-61	C10F416101			CP4F416101		
102	51-51	C10F515101			CP4F515101		
102	71-31	C10F713101			CP4F713101		
102	61-41	C10F614101			CP4F614101		
107	61-46	C10F614601			CP4F614601		
112	31-81	C10F318101			CP4F318101		
112	51-61	C10F516101			CP4F516101		
112	56-56	C10F565601			CP4F565601		
112	81-31	C10F813101			CP4F813101		
112	61-51	C10F615101			CP4F615101		
122	31-91	C10F319101			CP4F319101		
122	91-31	C10F913101			CP4F913101		

CYLINDERS WITH ADJUSTABLE KNOB PROVISION



		NON RESTRICTED KEY DUPLICATION			KEY DUPLICATION BY AUTHORIZED CENTRE		
		C10			PRO		
Quotas		Article			Article		
A	B - C		3 keys	5 keys		3 keys	5 keys
62	31-31	C10P313101			CP4P313101		
67	36-31	C10P363101			CP4P363101		
72	41-31	C10P413101			CP4P413101		
77	46-31	C10P463101			CP4P463101		
82	51-31	C10P513101			CP4P513101		
87	56-31	C10P563101			CP4P563101		
92	61-31	C10P613101			CP4P613101		
97	66-31	C10P663101			CP4P663101		
102	71-31	C10P713101			CP4P713101		
112	81-31	C10P813101			CP4P813101		
122	91-31	C10P913101			CP4P913101		

HALF CYLINDER FOR 30 MM THICKNESS LOCKS




		NON RESTRICTED KEY DUPLICATION			KEY DUPLICATION BY AUTHORIZED CENTRE		
		C10			PRO		
Quotas		Article			Article		
A	B - C		3 keys	5 keys		3 keys	5 keys
46	31	C10B310001			CP4B310001		
56	41	C10B410001			CP4B410001		
66	51	C10B510001			CP4B510001		
76	61	C10B610001			CP4B610001		
86	71	C10B710001			CP4B710001		
96	81	C10B810001			CP4B810001		

HALF CYLINDER FOR 14/20 MM THICKNESS LOCKS



		NON RESTRICTED KEY DUPLICATION			KEY DUPLICATION BY AUTHORIZED CENTRE		
		C10			PRO		
Quotas		Article			Article		
A	B - C		3 keys	5 keys		3 keys	5 keys
41	31	C10M310001			CP4M310001		
46	36	C10M360001			CP4M360001		
51	41	C10M410001			CP4M410001		
56	46	C10M460001			CP4M460001		
61	51	C10M510001			CP4M510001		
71	61	C10M610001			CP4M610001		
81	71	C10M710001			CP4M710001		
91	81	C10M810001			CP4M810001		

HALF CYLINDER FOR PADLOCKS




		NON RESTRICTED KEY DUPLICATION			KEY DUPLICATION BY AUTHORIZED CENTRE		
		C10			PRO		
Article		Article			Article		
		3 keys	5 keys		3 keys	5 keys	
C10SL247				CP4SL247			
C10SL255				CP4SL255			



DOUBLE CYLINDERS

PROTECTED KEY DUPLICATION



C28PLUS

C39

CP6

Quotas	
A	B - C
62	31-31
67	31-36
72	31-41
72	36-36
77	31-46
77	36-41
82	31-51
82	36-46
82	41-41
87	31-56
87	36-51
87	41-46
92	31-61
92	36-56
92	41-51
92	46-46
97	31-66
97	36-61
97	41-56
97	46-51
102	31-71
102	41-61
102	46-56
102	51-51
107	46-61
107	51-56
112	31-81
112	41-71
112	51-61
112	56-56
122	31-91
122	41-81
122	51-71
132	61-71

Article		
	3 keys	5 keys
CP8D313101		
CP8D313601		
CP8D314101		
CP8D363601		
CP8D314601		
CP8D364101		
CP8D315101		
CP8D364601		
CP8D414101		
CP8D315601		
CP8D365101		
CP8D414601		
CP8D316101		
CP8D365601		
CP8D415101		
CP8D464601		
CP8D316601		
CP8D366101		
CP8D415601		
CP8D465101		
CP8D317101		
CP8D416101		
CP8D465601		
CP8D515101		
CP8D466101		
CP8D515601		
CP8D318101		
CP8D417101		
CP8D516101		
CP8D565601		
CP8D319101		
CP8D418101		
CP8D517101		
CP8D617101		

Article		
	3 keys	5 keys
C39D313101		
C39D313601		
C39D314101		
C39D363601		
C39D314601		
C39D364101		
C39D315101		
C39D364601		
C39D414101		
C39D315601		
C39D365101		
C39D414601		
C39D316101		
C39D365601		
C39D415101		
C39D464601		
C39D316601		
C39D366101		
C39D415601		
C39D465101		
C39D317101		
C39D416101		
C39D465601		
C39D515101		
C39D466101		
C39D515601		
C39D318101		
C39D417101		
C39D516101		
C39D565601		
C39D319101		
C39D418101		
C39D517101		
C39D617101		

Article		
	3 keys	5 keys
CP6D313101		
CP6D313601		
CP6D314101		
CP6D363601		
CP6D314601		
CP6D364101		
CP6D315101		
CP6D364601		
CP6D414101		
CP6D315601		
CP6D365101		
CP6D414601		
CP6D316101		
CP6D365601		
CP6D415101		
CP6D464601		
CP6D316601		
CP6D366101		
CP6D415601		
CP6D465101		
CP6D317101		
CP6D416101		
CP6D465601		
CP6D515101		
CP6D466101		
CP6D515601		
CP6D318101		
CP6D417101		
CP6D516101		
CP6D565601		
CP6D319101		
CP6D418101		
CP6D517101		
CP6D617101		

DOUBLE CYLINDERS "FRICTIONED"

PROTECTED KEY DUPLICATION



C28PLUS

C39

CP6

Quotas	
A	B - C
62	31-31
67	31-36
72	31-41
72	36-36
77	31-46
77	36-41
82	31-51
82	36-46
82	41-41
87	31-56
87	36-51
87	41-46
92	31-61
92	36-56
92	41-51
92	46-46
97	31-66
97	36-61
97	41-56
97	46-51
102	31-71
102	41-61
102	46-56
102	51-51
107	46-61
107	51-56
112	31-81
112	41-71
112	51-61
112	56-56
122	31-91
122	41-81
122	51-71
132	61-71

Article		
	3 keys	5 keys
CP8D3131F1		
CP8D3136F1		
CP8D3141F1		
CP8D3636F1		
CP8D3146F1		
CP8D3641F1		
CP8D3151F1		
CP8D3646F1		
CP8D4141F1		
CP8D3156F1		
CP8D3651F1		
CP8D4146F1		
CP8D3161F1		
CP8D3656F1		
CP8D4151F1		
CP8D4646F1		
CP8D3166F1		
CP8D3661F1		
CP8D4156F1		
CP8D4651F1		
CP8D3171F1		
CP8D4161F1		
CP8D4656F1		
CP8D5151F1		
CP8D4661F1		
CP8D5156F1		
CP8D3181F1		
CP8D4171F1		
CP8D5161F1		
CP8D5656F1		
CP8D3191F1		
CP8D4181F1		
CP8D5171F1		
CP8D6171F1		

Article		
	3 keys	5 keys
C39D3131F1		
C39D3136F1		
C39D3141F1		
C39D3636F1		
C39D3146F1		
C39D3641F1		
C39D3151F1		
C39D3646F1		
C39D4141F1		
C39D3156F1		
C39D3651F1		
C39D4146F1		
C39D3161F1		
C39D3656F1		
C39D4151F1		
C39D4646F1		
C39D3166F1		
C39D3661F1		
C39D4156F1		
C39D4651F1		
C39D3171F1		
C39D4161F1		
C39D4656F1		
C39D5151F1		
C39D4661F1		
C39D5156F1		
C39D3181F1		
C39D4171F1		
C39D5161F1		
C39D5656F1		
C39D3191F1		
C39D4181F1		
C39D5171F1		
C39D6171F1		

Article		
	3 keys	5 keys
CP6D3131F1		
CP6D3136F1		
CP6D3141F1		
CP6D3636F1		
CP6D3146F1		
CP6D3641F1		
CP6D3151F1		
CP6D3646F1		
CP6D4141F1		
CP6D3156F1		
CP6D3651F1		
CP6D4146F1		
CP6D3161F1		
CP6D3656F1		
CP6D4151F1		
CP6D4646F1		
CP6D3166F1		
CP6D3661F1		
CP6D4156F1		
CP6D4651F1		
CP6D3171F1		
CP6D4161F1		
CP6D4656F1		
CP6D5151F1		
CP6D4661F1		
CP6D5156F1		
CP6D3181F1		
CP6D4171F1		
CP6D5161F1		
CP6D5656F1		
CP6D3191F1		
CP6D4181F1		
CP6D5171F1		
CP6D6171F1		

THUMB TURN CYLINDERS (REMOVABLE KNOB)



PROTECTED KEY DUPLICATION



C28PLUS



C39



CP6

Quotas	
A	B - C
62	31-31
67	31-36
67	36-31
72	31-41
72	36-36
72	41-31
77	31-46
77	36-41
77	46-31
77	41-36
82	31-51
82	36-46
82	41-41
82	51-31
82	46-36
87	31-56
87	36-51
87	41-46
87	56-31
87	51-36
87	46-41
92	31-61
92	36-56
92	41-51
92	46-46
92	61-31
92	56-36
92	51-41
97	46-51
97	51-46
102	31-71
102	41-61
102	51-51
102	71-31
102	61-41
107	56-51
112	31-81
112	51-61
112	56-56
112	81-31
112	61-51
122	31-91
122	91-31

Article	3 keys		5 keys	
CP8F313101R				
CP8F313601R				
CP8F363101R				
CP8F314101R				
CP8F363601R				
CP8F413101R				
CP8F314601R				
CP8F364101R				
CP8F463101R				
CP8F413601R				
CP8F315101R				
CP8F364601R				
CP8F414101R				
CP8F513101R				
CP8F463601R				
CP8F315601R				
CP8F365101R				
CP8F414601R				
CP8F563101R				
CP8F513601R				
CP8F464101R				
CP8F316101R				
CP8F365601R				
CP8F415101R				
CP8F464601R				
CP8F613101R				
CP8F563601R				
CP8F514101R				
CP8F465101R				
CP8F514601R				
CP8F317101R				
CP8F416101R				
CP8F515101R				
CP8F713101R				
CP8F614101R				
CP8F565101R				
CP8F318101R				
CP8F516101R				
CP8F565601R				
CP8F813101R				
CP8F615101R				
CP8F319101R				
CP8F913101R				

Article	3 keys		5 keys	
C39F313101R				
C39F313601R				
C39F363101R				
C39F314101R				
C39F363601R				
C39F413101R				
C39F314601R				
C39F364101R				
C39F463101R				
C39F413601R				
C39F315101R				
C39F364601R				
C39F414101R				
C39F513101R				
C39F463601R				
C39F315601R				
C39F365101R				
C39F414601R				
C39F563101R				
C39F513601R				
C39F464101R				
C39F316101R				
C39F365601R				
C39F415101R				
C39F464601R				
C39F613101R				
C39F563601R				
C39F514101R				
C39F465101R				
C39F514601R				
C39F317101R				
C39F416101R				
C39F515101R				
C39F713101R				
C39F614101R				
C39F565101R				
C39F318101R				
C39F516101R				
C39F565601R				
C39F813101R				
C39F615101R				
C39F319101R				
C39F913101R				

Article	3 keys		5 keys	
CP6F313101R				
CP6F313601R				
CP6F363101R				
CP6F314101R				
CP6F363601R				
CP6F413101R				
CP6F314601R				
CP6F364101R				
CP6F463101R				
CP6F413601R				
CP6F315101R				
CP6F364601R				
CP6F414101R				
CP6F513101R				
CP6F463601R				
CP6F315601R				
CP6F365101R				
CP6F414601R				
CP6F563101R				
CP6F513601R				
CP6F464101R				
CP6F316101R				
CP6F365601R				
CP6F415101R				
CP6F464601R				
CP6F613101R				
CP6F563601R				
CP6F514101R				
CP6F465101R				
CP6F514601R				
CP6F317101R				
CP6F416101R				
CP6F515101R				
CP6F713101R				
CP6F614101R				
CP6F565101R				
CP6F318101R				
CP6F516101R				
CP6F565601R				
CP6F813101R				
CP6F615101R				
CP6F319101R				
CP6F913101R				

CYLINDERS WITH KNOB PROVISION



Quotas	
A	B - C
62	31-31
67	31-36
67	36-31
72	31-41
72	36-36
72	41-31
77	31-46
77	36-41
77	46-31
77	41-36
82	31-51
82	36-46
82	41-41
82	51-31
82	46-36
87	31-56
87	36-51
87	41-46
87	56-31
87	51-36
87	46-41
92	31-61
92	36-56
92	41-51
92	46-46
92	61-31
92	56-36
92	51-41
97	46-51
97	51-46
102	31-71
102	41-61
102	51-51
102	71-31
102	61-41
107	61-46
112	31-81
112	51-61
112	56-56
112	81-31
112	61-51
122	31-91
122	91-31


PROTECTED KEY DUPLICATION



C28PLUS				C39				CP6			
Article		3 keys	5 keys	Article		3 keys	5 keys	Article		3 keys	5 keys
CP8F313101				C39F313101				CP6F313101			
CP8F313601				C39F313601				CP6F313601			
CP8F363101				C39F363101				CP6F363101			
CP8F314101				C39F314101				CP6F314101			
CP8F363601				C39F363601				CP6F363601			
CP8F413101				C39F413101				CP6F413101			
CP8F314601				C39F314601				CP6F314601			
CP8F364101				C39F364101				CP6F364101			
CP8F463101				C39F463101				CP6F463101			
CP8F413601				C39F413601				CP6F413601			
CP8F315101				C39F315101				CP6F315101			
CP8F364601				C39F364601				CP6F364601			
CP8F414101				C39F414101				CP6F414101			
CP8F513101				C39F513101				CP6F513101			
CP8F463601				C39F463601				CP6F463601			
CP8F315601				C39F315601				CP6F315601			
CP8F365101				C39F365101				CP6F365101			
CP8F414601				C39F414601				CP6F414601			
CP8F563101				C39F563101				CP6F563101			
CP8F513601				C39F513601				CP6F513601			
CP8F464101				C39F464101				CP6F464101			
CP8F316101				C39F316101				CP6F316101			
CP8F365601				C39F365601				CP6F365601			
CP8F415101				C39F415101				CP6F415101			
CP8F464601				C39F464601				CP6F464601			
CP8F613101				C39F613101				CP6F613101			
CP8F563601				C39F563601				CP6F563601			
CP8F514101				C39F514101				CP6F514101			
CP8F465101				C39F465101				CP6F465101			
CP8F514601				C39F514601				CP6F514601			
CP8F317101				C39F317101				CP6F317101			
CP8F416101				C39F416101				CP6F416101			
CP8F515101				C39F515101				CP6F515101			
CP8F713101				C39F713101				CP6F713101			
CP8F614101				C39F614101				CP6F614101			
CP8F614601				C39F614601				CP6F614601			
CP8F318101				C39F318101				CP6F318101			
CP8F516101				C39F516101				CP6F516101			
CP8F565601				C39F565601				CP6F565601			
CP8F813101				C39F813101				CP6F813101			
CP8F615101				C39F615101				CP6F615101			
CP8F319101				C39F319101				CP6F319101			
CP8F913101				C39F913101				CP6F913101			

CYLINDERS WITH ADJUSTABLE KNOB PROVISION

PROTECTED KEY DUPLICATION



C28PLUS

C39

CP6

Quotas	
A	B - C
62	31-31
67	36-31
72	41-31
77	46-31
82	51-31
87	56-31
92	61-31
97	66-31
102	71-31
112	81-31
122	91-31

Article	3 keys		5 keys
CP8P313101			
CP8P363101			
CP8P413101			
CP8P463101			
CP8P513101			
CP8P563101			
CP8P613101			
CP8P663101			
CP8P713101			
CP8P813101			
CP8P913101			

Article	3 keys		5 keys
C39P313101			
C39P363101			
C39P413101			
C39P463101			
C39P513101			
C39P563101			
C39P613101			
C39P663101			
C39P713101			
C39P813101			
C39P913101			

Article	3 keys		5 keys
CP6P313101			
CP6P363101			
CP6P413101			
CP6P463101			
CP6P513101			
CP6P563101			
CP6P613101			
CP6P663101			
CP6P713101			
CP6P813101			
CP6P913101			

HALF CYLINDER FOR 14/20 MM THICKNESS LOCKS

PROTECTED KEY DUPLICATION



C28PLUS

C39

CP6


Quotas	
A	B
41	31
46	36
51	41
56	46
61	51
71	61
81	71
91	81

Article	3 keys		5 keys
CP8M310001			
CP8M360001			
CP8M410001			
CP8M460001			
CP8M510001			
CP8M610001			
CP8M710001			
CP8M810001			

Article	3 keys		5 keys
C39M310001			
C39M360001			
C39M410001			
C39M460001			
C39M510001			
C39M610001			
C39M710001			
C39M810001			

Article	3 keys		5 keys
CP6M310001			
CP6M360001			
CP6M410001			
CP6M460001			
CP6M510001			
CP6M610001			
CP6M710001			
CP6M810001			

HALF CYLINDER FOR 30 MM THICKNESS LOCKS



Quotas	
A	B
46	31
56	41
66	51
76	61
86	71
96	81

PROTECTED KEY DUPLICATION



C28PLUS				C39				CP6			
Article		3 keys		5 keys		Article		3 keys		5 keys	
CP8B310001						C39B310001					
CP8B410001						C39B410001					
CP8B510001						C39B510001					
CP8B610001						C39B610001					
CP8B710001						C39B710001					
CP8B810001						C39B810001					
CP6B310001						CP6B310001					
CP6B410001						CP6B410001					
CP6B510001						CP6B510001					
CP6B610001						CP6B610001					
CP6B710001						CP6B710001					
CP6B810001						CP6B810001					

HALF CYLINDER FOR PADLOCKS



PROTECTED KEY DUPLICATION



C28PLUS				CP6			
Article		3 keys		5 keys		Article	
CP8SL247						CP6SL247	
CP8SL255						CP6SL255	




...SL247



...SL255

DOUBLE CYLINDERS



PROTECTED AND
CONTROLLED
KEY DUPLICATION



C55

Quotas		Article	5 keys
A	B - C		
62	31-31	C55D313101	
67	31-36	C55D313601	
72	31-41	C55D314101	
72	36-36	C55D363601	
77	31-46	C55D314601	
77	36-41	C55D364101	
82	31-51	C55D315101	
82	36-46	C55D364601	
82	41-41	C55D414101	
87	31-56	C55D315601	
87	36-51	C55D365101	
87	41-46	C55D414601	
92	31-61	C55D316101	
92	36-56	C55D365601	
92	41-51	C55D415101	
92	46-46	C55D464601	
97	31-66	C55D316601	
97	36-61	C55D366101	
97	41-56	C55D415601	
97	46-51	C55D465101	
102	31-71	C55D317101	
102	41-61	C55D416101	
102	46-56	C55D465601	
102	51-51	C55D515101	
107	46-61	C55D466101	
107	51-56	C55D515601	
112	31-81	C55D318101	
112	41-71	C55D417101	
112	51-61	C55D516101	
112	56-56	C55D565601	
122	31-91	C55D319101	
122	41-81	C55D418101	
122	51-71	C55D517101	
132	61-71	C55D617101	

DOUBLE CYLINDERS "FRICTIONED"




PROTECTED AND
CONTROLLED
KEY DUPLICATION



C55

Quotas		Article	5 keys
A	B - C		
62	31-31	C55D3131F1	
67	31-36	C55D3136F1	
72	31-41	C55D3141F1	
72	36-36	C55D3636F1	
77	31-46	C55D3146F1	
77	36-41	C55D3641F1	
82	31-51	C55D3151F1	
82	36-46	C55D3646F1	
82	41-41	C55D4141F1	
87	31-56	C55D3156F1	
87	36-51	C55D3651F1	
87	41-46	C55D4146F1	
92	31-61	C55D3161F1	
92	36-56	C55D3656F1	
92	41-51	C55D4151F1	
92	46-46	C55D4646F1	
97	31-66	C55D3166F1	
97	36-61	C55D3661F1	
97	41-56	C55D4156F1	
97	46-51	C55D4651F1	
102	31-71	C55D3171F1	
102	41-61	C55D4161F1	
102	46-56	C55D4656F1	
102	51-51	C55D5151F1	
107	46-61	C55D4661F1	
107	51-56	C55D5156F1	
112	31-81	C55D3181F1	
112	41-71	C55D4171F1	
112	51-61	C55D5161F1	
112	56-56	C55D5656F1	
122	31-91	C55D3191F1	
122	41-81	C55D4181F1	
122	51-71	C55D5171F1	
132	61-71	C55D6171F1	

THUMB TURN CYLINDERS (REMOVABLE KNOB)




PROTECTED AND
CONTROLLED
KEY DUPLICATION



C55

Quotas		Article	5 keys
A	B - C		
62	31-31	C55F313101R	
67	31-36	C55F313601R	
67	36-31	C55F363101R	
72	31-41	C55F314101R	
72	36-36	C55F363601R	
72	41-31	C55F413101R	
77	31-46	C55F314601R	
77	36-41	C55F364101R	
77	46-31	C55F463101R	
77	41-36	C55F413601R	
82	31-51	C55F315101R	
82	36-46	C55F364601R	
82	41-41	C55F414101R	
82	51-31	C55F513101R	
82	46-36	C55F463601R	
87	31-56	C55F315601R	
87	36-51	C55F365101R	
87	41-46	C55F414601R	
87	56-31	C55F563101R	
87	51-36	C55F513601R	
87	46-41	C55F464101R	
92	31-61	C55F316101R	
92	36-56	C55F365601R	
92	41-51	C55F415101R	
92	46-46	C55F464601R	
92	61-31	C55F613101R	
92	56-36	C55F563601R	
92	51-41	C55F514101R	
97	46-51	C55F465101R	
97	51-46	C55F514601R	
102	31-71	C55F317101R	
102	41-61	C55F416101R	
102	51-51	C55F515101R	
102	71-31	C55F713101R	
102	61-41	C55F614101R	
107	56-51	C55F565101R	
112	31-81	C55F318101R	
112	51-61	C55F516101R	
112	56-56	C55F565601R	
112	81-31	C55F813101R	
112	61-51	C55F615101R	
122	31-91	C55F319101R	
122	91-31	C55F913101R	

CYLINDERS WITH KNOB PROVISION



PROTECTED AND
CONTROLLED
KEY DUPLICATION



C55



Quotas		Article	5 keys
A	B - C		
62	31-31	C55F313101	
67	31-36	C55F313601	
67	36-31	C55F363101	
72	31-41	C55F314101	
72	36-36	C55F363601	
72	41-31	C55F413101	
77	31-46	C55F314601	
77	36-41	C55F364101	
77	46-31	C55F463101	
77	41-36	C55F413601	
82	31-51	C55F315101	
82	36-46	C55F364601	
82	41-41	C55F414101	
82	51-31	C55F513101	
82	46-36	C55F463601	
87	31-56	C55F315601	
87	36-51	C55F365101	
87	41-46	C55F414601	
87	56-31	C55F563101	
87	51-36	C55F513601	
87	46-41	C55F464101	
92	31-61	C55F316101	
92	36-56	C55F365601	
92	41-51	C55F415101	
92	46-46	C55F464601	
92	61-31	C55F613101	
92	56-36	C55F563601	
92	51-41	C55F514101	
97	46-51	C55F465101	
97	51-46	C55F514601	
102	31-71	C55F317101	
102	41-61	C55F416101	
102	51-51	C55F515101	
102	71-31	C55F713101	
102	61-41	C55F614101	
107	61-46	C55F614601	
112	31-81	C55F318101	
112	51-61	C55F516101	
112	56-56	C55F565601	
112	81-31	C55F813101	
112	61-51	C55F615101	
122	31-91	C55F319101	
122	91-31	C55F913101	

CYLINDERS WITH ADJUSTABLE KNOB PROVISION

HALF CYLINDER FOR 14/20 MM THICKNESS LOCKS

HALF CYLINDER FOR 30 MM THICKNESS LOCKS

PROTECTED AND CONTROLLED KEY DUPLICATION



C55

Quotas		Article	5 keys
A	B - C		
62	31-31	C55P313101	
67	36-31	C55P363101	
72	41-31	C55P413101	
77	46-31	C55P463101	
82	51-31	C55P513101	
87	56-31	C55P563101	
92	61-31	C55P613101	
97	66-31	C55P663101	
102	71-31	C55P713101	
112	81-31	C55P813101	
122	91-31	C55P913101	

C55



Quotas		Article	5 keys
A	B		
41	31	C55M310001	
46	36	C55M360001	
51	41	C55M410001	
56	46	C55M460001	
61	51	C55M510001	
71	61	C55M610001	
81	71	C55M710001	
91	81	C55M810001	

C55

Quotas		Article	5 keys
A	B		
46	31	C55B310001	
56	41	C55B360001	
66	51	C55B410001	
76	61	C55B510001	
86	71	C55B610001	
96	81	C55B710001	

C3D - DOUBLE CYLINDERS

PROTECTED AND CONTROLLED KEY DUPLICATION



C3D - BASIC



C3D - DF07



C3D - DF17

Quotas		Article	5 keys - 20 mm
A	B - C		
77	31-46	C3DD3146X0	
82	31-51	C3DD3151X0	
82	36-46	C3DD3646X0	
87	31-56	C3DD3156X0	
87	36-51	C3DD3651X0	
87	41-46	C3DD4146X0	
92	31-61	C3DD3161X0	
92	36-56	C3DD3656X0	
92	41-51	C3DD4151X0	
92	46-46	C3DD4646X0	
97	31-66	C3DD3166X0	
97	36-61	C3DD3661X0	
97	41-56	C3DD4156X0	
97	46-51	C3DD4651X0	
97	51-46	C3DD5146X0	
102	31-71	C3DD3171X0	
102	36-66	C3DD3666X0	
102	41-61	C3DD4161X0	
102	46-56	C3DD4656X0	
102	51-51	C3DD5151X0	
107	31-76	C3DD3176X0	
107	36-71	C3DD3671X0	
107	41-66	C3DD4166X0	
107	46-61	C3DD4661X0	
107	51-56	C3DD5156X0	
112	31-81	C3DD3181X0	
112	36-76	C3DD3676X0	
112	41-71	C3DD4171X0	
112	51-61	C3DD5161X0	
112	56-56	C3DD5656X0	
117	31-86	C3DD3186X0	
117	36-81	C3DD3681X0	
117	41-76	C3DD4176X0	
122	31-91	C3DD3191X0	
122	36-86	C3DD3686X0	
122	41-81	C3DD4181X0	
122	51-71	C3DD5171X0	
127	31-96	C3DD3196X0	
127	36-91	C3DD3691X0	
127	41-86	C3DD4186X0	
132	31-101	C3DD3101X0	
132	36-96	C3DD3696X0	
132	41-91	C3DD4191X0	
132	61-71	C3DD6171X0	
137	36-101	C3DD3601X0	
137	41-96	C3DD4196X0	
142	41-101	C3DD4101X0	



Article	5 keys - 20 mm
C3DD3146X1	
C3DD3151X1	
C3DD3646X1	
C3DD3156X1	
C3DD3651X1	
C3DD4146X1	
C3DD3161X1	
C3DD3656X1	
C3DD4151X1	
C3DD4646X1	
C3DD3166X1	
C3DD3661X1	
C3DD4156X1	
C3DD4651X1	
C3DD5146X1	
C3DD3171X1	
C3DD3666X1	
C3DD4161X1	
C3DD4656X1	
C3DD5151X1	
C3DD3176X1	
C3DD3671X1	
C3DD4166X1	
C3DD4661X1	
C3DD5156X1	
C3DD3181X1	
C3DD3676X1	
C3DD4171X1	
C3DD5161X1	
C3DD5656X1	
C3DD3186X1	
C3DD3681X1	
C3DD4176X1	
C3DD3191X1	
C3DD3686X1	
C3DD4181X1	
C3DD5171X1	
C3DD3196X1	
C3DD3691X1	
C3DD4186X1	
C3DD3101X1	
C3DD3696X1	
C3DD4191X1	
C3DD6171X1	
C3DD3601X1	
C3DD4196X1	
C3DD4101X1	

Article	5 keys - 20 mm
C3DD3146X2	
C3DD3151X2	
C3DD3646X2	
C3DD3156X2	
C3DD3651X2	
C3DD4146X2	
C3DD3161X2	
C3DD3656X2	
C3DD4151X2	
C3DD4646X2	
C3DD3166X2	
C3DD3661X2	
C3DD4156X2	
C3DD4651X2	
C3DD5146X2	
C3DD3171X2	
C3DD3666X2	
C3DD4161X2	
C3DD4656X2	
C3DD5151X2	
C3DD3176X2	
C3DD3671X2	
C3DD4166X2	
C3DD4661X2	
C3DD5156X2	
C3DD3181X2	
C3DD3676X2	
C3DD4171X2	
C3DD5161X2	
C3DD5656X2	
C3DD3186X2	
C3DD3681X2	
C3DD4176X2	
C3DD3191X2	
C3DD3686X2	
C3DD4181X2	
C3DD5171X2	
C3DD3196X2	
C3DD3691X2	
C3DD4186X2	
C3DD3101X2	
C3DD3696X2	
C3DD4191X2	
C3DD6171X2	
C3DD3601X2	
C3DD4196X2	
C3DD4101X2	

NOTE: When ordering, indicate the type of Defender® cover treatment among those indicated by replacing the letter "X" with the letter of the treatment requested.

C3D - DOUBLE CYLINDERS

PROTECTED AND CONTROLLED KEY DUPLICATION



C3D - DF08



C3D - DF18

Quotas	
A	B - C
77	31-46
82	31-51
82	36-46
87	31-56
87	36-51
87	41-46
92	31-61
92	36-56
92	41-51
92	46-46
97	31-66
97	36-61
97	41-56
97	46-51
97	51-46
102	31-71
102	36-66
102	41-61
102	46-56
102	51-51
107	31-76
107	36-71
107	41-66
107	46-61
107	51-56
112	31-81
112	36-76
112	41-71
112	51-61
112	56-56
117	31-86
117	36-81
117	41-76
122	31-91
122	36-86
122	41-81
122	51-71
127	31-96
127	36-91
127	41-86
132	31-101
132	36-96
132	41-91
132	61-71
137	36-101
137	41-96
142	41-101


Article	5 keys - 20 mm
C3DD3146X3	
C3DD3151X3	
C3DD3646X3	
C3DD3156X3	
C3DD3651X3	
C3DD4146X3	
C3DD3161X3	
C3DD3656X3	
C3DD4151X3	
C3DD4646X3	
C3DD3166X3	
C3DD3661X3	
C3DD4156X3	
C3DD4651X3	
C3DD5146X3	
C3DD3171X3	
C3DD3666X3	
C3DD4161X3	
C3DD4656X3	
C3DD5151X3	
C3DD3176X3	
C3DD3671X3	
C3DD4166X3	
C3DD4661X3	
C3DD5156X3	
C3DD3181X3	
C3DD3676X3	
C3DD4171X3	
C3DD5161X3	
C3DD5656X3	
C3DD3186X3	
C3DD3681X3	
C3DD4176X3	
C3DD3191X3	
C3DD3686X3	
C3DD4181X3	
C3DD5171X3	
C3DD3196X3	
C3DD3691X3	
C3DD4186X3	
C3DD3101X3	
C3DD3696X3	
C3DD4191X3	
C3DD6171X3	
C3DD3601X3	
C3DD4196X3	
C3DD4101X3	

Article	5 keys - 20 mm
C3DD3146X4	
C3DD3151X4	
C3DD3646X4	
C3DD3156X4	
C3DD3651X4	
C3DD4146X4	
C3DD3161X4	
C3DD3656X4	
C3DD4151X4	
C3DD4646X4	
C3DD3166X4	
C3DD3661X4	
C3DD4156X4	
C3DD4651X4	
C3DD5146X4	
C3DD3171X4	
C3DD3666X4	
C3DD4161X4	
C3DD4656X4	
C3DD5151X4	
C3DD3176X4	
C3DD3671X4	
C3DD4166X4	
C3DD4661X4	
C3DD5156X4	
C3DD3181X4	
C3DD3676X4	
C3DD4171X4	
C3DD5161X4	
C3DD5656X4	
C3DD3186X4	
C3DD3681X4	
C3DD4176X4	
C3DD3191X4	
C3DD3686X4	
C3DD4181X4	
C3DD5171X4	
C3DD3196X4	
C3DD3691X4	
C3DD4186X4	
C3DD3101X4	
C3DD3696X4	
C3DD4191X4	
C3DD6171X4	
C3DD3601X4	
C3DD4196X4	
C3DD4101X4	

C3D ESCUTCHEONS BASIC VERSION




95.447..



95.511..

95.512..


95.513..




95.500..

Finish

Anod. silver
Anod. bronze
Brass
Chrome
Satin Chrome
Anod. Black
PVD GOLD
Defender® Cover
Package of 10



DOUBLE CYLINDERS "FRICTIONED" AGGIUNGERE "F" AL CODICE





NOTE: When ordering, indicate the type of Defender® cover treatment among those indicated by replacing the letter "X" with the letter of the treatment requested.


C3D - CYLINDERS WITH ADJUSTABLE KNOB PROVISION



PROTECTED AND CONTROLLED KEY DUPLICATION



C3D - BASIC



C3D - DF07



C3D - DF17



Quotas		Article		Article		Article	
A	B - C		5 keys - 20 mm		5 keys - 20 mm		5 keys - 20 mm
77	46-31	C3DP4631X0		C3DP4631X1		C3DP4631X2	
82	51-31	C3DP5131X0		C3DP5131X1		C3DP5131X2	
87	56-31	C3DP5631X0		C3DP5631X1		C3DP5631X2	
92	61-31	C3DP6131X0		C3DP6131X1		C3DP6131X2	
97	66-31	C3DP6631X0		C3DP6631X1		C3DP6631X2	
102	71-31	C3DP7131X0		C3DP7131X1		C3DP7131X2	
107	76-31	C3DP7631X0		C3DP7631X1		C3DP7631X2	
112	81-31	C3DP8131X0		C3DP8131X1		C3DP8131X2	
117	86-31	C3DP8631X0		C3DP8631X1		C3DP8631X2	
122	91-31	C3DP9131X0		C3DP9131X1		C3DP9131X2	
127	96-31	C3DP9631X0		C3DP9631X1		C3DP9631X2	
132	101-31	C3DP0131X0		C3DP0131X1		C3DP0131X2	

NOTE: When ordering, indicate the type of Defender® cover treatment among those indicated by replacing the letter "X" with the letter of the treatment requested.


95.514..	C3D ESCUTCHEONS DF07/DF08 VERSION	95.515..	C3D ESCUTCHEONS DF17/DF18 VERSION
Finish Anod. silver Anod. bronze Brass Chrome Satin Chrome Anod. Black PVD GOLD Defender® DF07/DF08 escutcheons Package of 1		Finish Anod. silver Anod. bronze Brass Chrome Satin Chrome Anod. Black PVD GOLD Defender® DF17/DF18 escutcheons Package of 1	

C3D - CYLINDERS WITH ADJUSTABLE KNOB PROVISION

PROTECTED AND CONTROLLED KEY DUPLICATION



C3D - DF08



C3D - DF18

Quotas		Article	5 keys - 20 mm
A	B - C		
77	46-31	C3DP4631X3	
82	51-31	C3DP5131X3	
87	56-31	C3DP5631X3	
92	61-31	C3DP6131X3	
97	66-31	C3DP6631X3	
102	71-31	C3DP7131X3	
107	76-31	C3DP7631X3	
112	81-31	C3DP8131X3	
117	86-31	C3DP8631X3	
122	91-31	C3DP9131X3	
127	96-31	C3DP9631X3	
132	101-31	C3DP0131X3	

NOTE: When ordering, indicate the type of Defender® cover treatment among those indicated by replacing the letter "X" with the letter of the treatment requested.

95.511..

Finish
Anod. silver
Anod. bronze
Brass
Chrome
Satin Chrome
Anod. Black
PVD GOLD
BASIC Defender® escutcheons depth 18mm
Package of 1



95.512..

Finish
Anod. silver
Anod. bronze
Brass
Chrome
Satin Chrome
Anod. Black
PVD GOLD
BASIC Defender® escutcheons depth 22mm
Package of 1

95.513..



Finish
Anod. silver
Anod. bronze
Brass
Chrome
Satin Chrome
Anod. Black
PVD GOLD
BASIC Defender® escutcheons depth 27mm
Package of 1

C3D ESCUTCHEONS BASIC VERSION



95.500..

Finish
Anod. silver
Anod. bronze
Brass
Chrome
Satin Chrome
Anod. Black
PVD GOLD
Defender® Cover
Package of 10



SPECIAL HALF CYLINDER FOR 32 SERIES (VERTICAL RIM LOCKS)

		C28PLUS		
Quotas		Article		
A	B		3 keys	5 keys
76	61	CP8L610001		
86	71	CP8L710001		
96	81	CP8L810001		

		DPC1C21	
Quotas		Article	
A	B		
31	21	DPC1C21	

Special half cylinder for art. 32.597N21/23/25 and art. 32.699N17 with knob provision

"CONSTRUCTION" HALF CYLINDER

		87UG1631	
Quotas		Article	1 key
A	B		
46	31	87UG1631	

"Construction" special half cylinder
"TEMPORARY" all cylinders keyed alike

		87PO1631	
Quotas		Article	
A	B		
46	31	87PO1631	

"Construction" special half cylinder
"TEMPORARY" with adjustable knob provision


98.AF686

Black plastic cylinder for construction site.



CHAMPIONSMODULAR - ASSEMBLED

DOUBLE CYLINDERS - DOUBLE CYLINDERS "FRICTIONED"



MODULAR

Quotas		Article			Article		
A	B - C		3 keys	5 keys		3 keys	5 keys
62	31-31	CM7D313101			CM7D3131F1		
67	31-36	CM7D313601			CM7D3136F1		
72	31-41	CM7D314101			CM7D3141F1		
72	36-36	CM7D363601			CM7D3636F1		
77	31-46	CM7D314601			CM7D3146F1		
77	36-41	CM7D364101			CM7D3641F1		
82	31-51	CM7D315101			CM7D3151F1		
82	36-46	CM7D364601			CM7D3646F1		
82	41-41	CM7D414101			CM7D4141F1		
87	31-56	CM7D315601			CM7D3156F1		
87	36-51	CM7D365101			CM7D3651F1		
87	41-46	CM7D414601			CM7D4146F1		
92	31-61	CM7D316101			CM7D3161F1		
92	36-56	CM7D365601			CM7D3656F1		
92	41-51	CM7D415101			CM7D4151F1		
92	46-46	CM7D464601			CM7D4646F1		
97	31-66	CM7D316601			CM7D3166F1		
97	36-61	CM7D366101			CM7D3661F1		
97	41-56	CM7D415601			CM7D4156F1		
97	46-51	CM7D465101			CM7D4651F1		
102	31-71	CM7D317101			CM7D3171F1		
102	36-66	CM7D366601			CM7D3666F1		
102	41-61	CM7D416101			CM7D4161F1		
102	46-56	CM7D465601			CM7D4656F1		
102	51-51	CM7D515101			CM7D5151F1		
107	36-71	CM7D367101			CM7D3671F1		
107	41-66	CM7D416601			CM7D4166F1		



DOUBLE CYLINDERS


DOUBLE CYLINDERS
"FRICTIONED"

MODULAR

Quotas		Article			Article		
A	B - C		3 keys	5 keys		3 keys	5 keys
107	46-61	CM7D466101			CM7D4661F1		
107	51-56	CM7D515601			CM7D5156F1		
112	31-81	CM7D318101			CM7D3181F1		
112	41-71	CM7D417101			CM7D4171F1		
112	46-66	CM7D466601			CM7D4666F1		
112	51-61	CM7D516101			CM7D5161F1		
112	56-56	CM7D565601			CM7D5656F1		
117	31-86	CM7D318601			CM7D3186F1		
117	36-81	CM7D368101			CM7D3681F1		
117	46-71	CM7D467101			CM7D4671F1		
117	51-66	CM7D516601			CM7D5166F1		
117	56-61	CM7D566101			CM7D5661F1		
122	31-91	CM7D319101			CM7D3191F1		
122	36-86	CM7D368601			CM7D3686F1		
122	41-81	CM7D418101			CM7D4181F1		
122	51-71	CM7D517101			CM7D5171F1		
122	56-66	CM7D566601			CM7D5666F1		
122	61-61	CM7D616101			CM7D6161F1		
127	36-91	CM7D369101			CM7D3691F1		
127	41-86	CM7D418601			CM7D4186F1		
127	56-71	CM7D567101			CM7D5671F1		
127	61-66	CM7D616601			CM7D6166F1		
132	41-91	CM7D419101			CM7D4191F1		
132	61-71	CM7D617101			CM7D6171F1		
132	66-66	CM7D666601			CM7D6666F1		
137	66-71	CM7D667101			CM7D6671F1		
142	71-71	CM7D717101			CM7D7171F1		

CHAMPIONSMODULAR - ASSEMBLED

CYLINDERS WITH ADJUSTABLE KNOB PROVISION




KEY DUPLICATION
BY AUTHORIZED CENTRE



Quotas		Article	MODULAR	
A	B - C		3 keys	5 keys
62	31-31	CM7P313101		
67	36-31	CM7P363101		
72	41-31	CM7P413101		
77	46-31	CM7P463101		
82	51-31	CM7P513101		
87	56-31	CM7P563101		
92	61-31	CM7P613101		
97	66-31	CM7P663101		
102	71-31	CM7P713101		
112	81-31	CM7P813101		
117	86-31	CM7P863101		
122	91-31	CM7P913101		

HALF CYLINDER FOR 14/20 MM THICKNESS LOCKS




KEY DUPLICATION
BY AUTHORIZED CENTRE



Quotas		Article	MODULAR	
A	B		3 keys	5 keys
41	31	CM7M310001		
46	36	CM7M360001		
51	41	CM7M410001		
61	51	CM7M510001		
71	61	CM7M610001		
81	71	CM7M710001		
91	81	CM7M810001		
101	91	CM7M910001		

HALF CYLINDER FOR 30 MM THICKNESS LOCKS




KEY DUPLICATION
BY AUTHORIZED CENTRE



Quotas		Article	MODULAR	
A	B		3 keys	5 keys
46	31	CM7B310001		
51	36	CM7B360001		
56	41	CM7B410001		
66	51	CM7B510001		
76	61	CM7B610001		
86	71	CM7B710001		
96	81	CM7B810001		
106	91	CM7B910001		

CHAMPIONSMODULAR - FOR ASSEMBLE



98C00SSUM7

Complete START-UP KIT
to have the necessary modules
to configure at least two cylinders.
Details of the composition at the end of the chapter.

ARTICOLI	QTY	PREZZO	ARTICOLI	QTY	PREZZO
98C00SSUM7	1	14,50	98CAF298	1	14,50
98CAF298	1	14,50	98CAF29930	1	14,50
98CAF29930	1	14,50	98CAF320	1	14,50
98CAF320	1	14,50	98CAF321	1	14,50
98CAF321	1	14,50	98CAF322	1	14,50
98CAF322	1	14,50	98CAF323	1	14,50
98CAF323	1	14,50	98CAF324	1	14,50
98CAF324	1	14,50	98CAF325	1	14,50
98CAF325	1	14,50	98CAF326	1	14,50
98CAF326	1	14,50	98CAF327	1	14,50
98CAF327	1	14,50	98CAF328	1	14,50
98CAF328	1	14,50	98CAF329	1	14,50
98CAF329	1	14,50	98CAF330	1	14,50
98CAF330	1	14,50	98CAF331	1	14,50
98CAF331	1	14,50	98CAF332	1	14,50
98CAF332	1	14,50	98CAF333	1	14,50
98CAF333	1	14,50	98CAF334	1	14,50
98CAF334	1	14,50	98CAF335	1	14,50
98CAF335	1	14,50	98CAF336	1	14,50
98CAF336	1	14,50	98CAF337	1	14,50
98CAF337	1	14,50	98CAF338	1	14,50
98CAF338	1	14,50	98CAF339	1	14,50
98CAF339	1	14,50	98CAF340	1	14,50
98CAF340	1	14,50	98CAF341	1	14,50
98CAF341	1	14,50	98CAF342	1	14,50
98CAF342	1	14,50	98CAF343	1	14,50
98CAF343	1	14,50	98CAF344	1	14,50
98CAF344	1	14,50	98CAF345	1	14,50
98CAF345	1	14,50	98CAF346	1	14,50
98CAF346	1	14,50	98CAF347	1	14,50
98CAF347	1	14,50	98CAF348	1	14,50
98CAF348	1	14,50	98CAF349	1	14,50
98CAF349	1	14,50	98CAF350	1	14,50
98CAF350	1	14,50	98CAF351	1	14,50
98CAF351	1	14,50	98CAF352	1	14,50
98CAF352	1	14,50	98CAF353	1	14,50
98CAF353	1	14,50	98CAF354	1	14,50
98CAF354	1	14,50	98CAF355	1	14,50
98CAF355	1	14,50	98CAF356	1	14,50
98CAF356	1	14,50	98CAF357	1	14,50
98CAF357	1	14,50	98CAF358	1	14,50
98CAF358	1	14,50	98CAF359	1	14,50
98CAF359	1	14,50	98CAF360	1	14,50
98CAF360	1	14,50	98CAF361	1	14,50
98CAF361	1	14,50	98CAF362	1	14,50
98CAF362	1	14,50	98CAF363	1	14,50
98CAF363	1	14,50	98CAF364	1	14,50
98CAF364	1	14,50	98CAF365	1	14,50
98CAF365	1	14,50	98CAF366	1	14,50
98CAF366	1	14,50	98CAF367	1	14,50
98CAF367	1	14,50	98CAF368	1	14,50
98CAF368	1	14,50	98CAF369	1	14,50
98CAF369	1	14,50	98CAF370	1	14,50
98CAF370	1	14,50	98CAF371	1	14,50
98CAF371	1	14,50	98CAF372	1	14,50
98CAF372	1	14,50	98CAF373	1	14,50
98CAF373	1	14,50	98CAF374	1	14,50
98CAF374	1	14,50	98CAF375	1	14,50
98CAF375	1	14,50	98CAF376	1	14,50
98CAF376	1	14,50	98CAF377	1	14,50
98CAF377	1	14,50	98CAF378	1	14,50
98CAF378	1	14,50	98CAF379	1	14,50
98CAF379	1	14,50	98CAF380	1	14,50
98CAF380	1	14,50	98CAF381	1	14,50
98CAF381	1	14,50	98CAF382	1	14,50
98CAF382	1	14,50	98CAF383	1	14,50
98CAF383	1	14,50	98CAF384	1	14,50
98CAF384	1	14,50	98CAF385	1	14,50
98CAF385	1	14,50	98CAF386	1	14,50
98CAF386	1	14,50	98CAF387	1	14,50
98CAF387	1	14,50	98CAF388	1	14,50
98CAF388	1	14,50	98CAF389	1	14,50
98CAF389	1	14,50	98CAF390	1	14,50
98CAF390	1	14,50	98CAF391	1	14,50
98CAF391	1	14,50	98CAF392	1	14,50
98CAF392	1	14,50	98CAF393	1	14,50
98CAF393	1	14,50	98CAF394	1	14,50
98CAF394	1	14,50	98CAF395	1	14,50
98CAF395	1	14,50	98CAF396	1	14,50
98CAF396	1	14,50	98CAF397	1	14,50
98CAF397	1	14,50	98CAF398	1	14,50
98CAF398	1	14,50	98CAF399	1	14,50
98CAF399	1	14,50	98CAF400	1	14,50

98CM1CC018

Half cylinder
for Champions® MODULAR
complete with fixing screw
3/5 keys + owner's card
Package of 1



98CM2CC018

Double cylinder
for Champions® MODULAR
complete with fixing screw
3/5 keys + owner's card
Package of 2



98CAF298

Half cylinder with adjustable knob provision
for Champions® MODULAR
Package of 2



98CAF29930

Half cylinder with knob provision
for Champions® MODULAR
Package of 2



98CAF320

5 mm extendible module for double cylinder
for Champions® MODULAR
Package of 5



98CAF321

10 mm extendible module for double cylinder
for Champions® MODULAR
Package of 5



98CAF322

15 mm extendible module for double cylinder
for Champions® MODULAR
Package of 5



98CAF323

20 mm extendible module for double cylinder
for Champions® MODULAR
Package of 5



98CAF324

25 mm extendible module for double cylinder
for Champions® MODULAR
Package of 5



98CAF325

30 mm extendible module for double cylinder
for Champions® MODULAR
Package of 5



98CAF326

40 mm extendible module for double cylinder
for Champions® MODULAR
Package of 2



98CAF327

50 mm extendible module for double cylinder
for Champions® MODULAR
Package of 2



98CAF328

60 mm extendible module for double cylinder
for Champions® MODULAR
Package of 2



98CAF329

Stem and cam for double cylinder
for Champions® MODULAR CM7(PRO) / CM9(C39)
Package of 10



98CAF344

Stem and cam for double cylinder
for Champions® MODULAR CM0(C10) / CM8(CP8) /
CM6(CP6)
Package of 10




98CAF281

Stem and cam
for double emergency function cylinder
for Champions® MODULAR CM7(PRO) / CM9(C39)
Package of 10




98CKDF0000

Stem and cam
for double emergency function cylinder
for Champions® cylinder and MODULAR
CM0(C10) / CM8(CP8) / CM6(CP6)
Package of 10



98CAF330

Stem and cam for cylinder
with fixed and adjustable knob
for Champions® MODULAR CM7(PRO) / CM9(C39)
Package of 10



98CAF345

Stem and cam for cylinder
with fixed and adjustable knob
for Champions® MODULAR CM0(C10) / CM8(CP8) /
CM6(CP6)
Package of 10



98CAF338

Cam for half cylinder
for Champions® MODULAR
Package of 10



98C2333030

Spacer for double cylinder
31-31 / 31-36 / 31-41
36-36 / 36-41
41-41
for Champions® MODULAR
Package of 5





98C2333045

Spacer for double cylinder
31-46 / 31-51 / 31-56
36-46 / 36-51 / 36-56
41-46 / 41-51 / 41-56
for Champions® MODULAR
Package of 5



98C2333060 Spacer for double cylinder 31-61 / 31-66 / 31-71 36-61 / 36-66 / 36-71 41-61 / 41-66 / 41-71 for Champions® MODULAR Package of 5		98C7805605 5 mm terminal spacer for half cylinder (type M) for Champions® MODULAR Package of 5	
98C2334545 Spacer for double cylinder 46-46 / 46-51 / 46-56 51-51 / 51-56 56-56 for Champions® MODULAR Package of 5		98C7805610 10 mm terminal spacer for half cylinder (type B) for Champions® MODULAR Package of 5	
98C2334560 Spacer for double cylinder 46-61 / 46-66 / 46-71 51-61 / 51-66 / 51-71 56-61 / 56-66 / 56-71 for Champions® MODULAR Package of 5		98C1914711 11 mm plug spacer for half cylinder for Champions® MODULAR Package of 5	
98C2336060 Spacer for double cylinder 61-61 / 61-66 / 61-71 66-66 / 66-71 71-71 for Champions® MODULAR Package of 5		98CAF331 5 mm extendible module for half cylinder for Champions® MODULAR Package of 5	
98C2333080 Spacer for double cylinder 31-81 / 31-86 / 31-91 36-81 / 36-86 / 36-91 41-81 / 41-86 / 41-91 for Champions® MODULAR Package of 5		98CAF332 10 mm extendible module for half cylinder for Champions® MODULAR Package of 5	
98C23031 Grub screw M3x6 UNI 5929 for Champions® MODULAR Conf. da 100 pezzi		98CAF333 20 mm extendible module for half cylinder for Champions® MODULAR Package of 5	

98CAF334 30 mm extendible module for half cylinder for Champions® MODULAR Package of 5		98C1923260 Spacer for half cylinder 61/71 for Champions® MODULAR Package of 5	
98CAF335 40 mm extendible module for half cylinder for Champions® MODULAR Package of 2		98C1923280 Spacer for half cylinder 81/91 for Champions® MODULAR Package of 5	
98CAF336 50 mm extendible module for half cylinder for Champions® MODULAR Package of 2		98C1923400 ADJUSTABLE spacer for half/double cylinder to fit any lenght between 31/31 and 91/141 for Champions® MODULAR Package of 1	
98CAF337 60 mm extendible module for half cylinder for Champions® MODULAR Package of 2		98CAF339 5 mm spacer + stem + seeger for half cylinder with cogwheel cam for Champions® MODULAR Package of 5	
98C1923230 Spacer for half cylinder 31/36/41 for Champions® MODULAR Package of 5			
98C1923245 Spacer for half cylinder 51 for Champions® MODULAR Package of 5			



98C2416151

Spacer for double cylinder (B internal - C external)
61-51 / 66-51 / 71-51
for C3D cylinder
Package of 5



98C2413146

Spacer for double cylinder (B internal - C external)
31-46 / 36-46 / 41-46
for C3D cylinder
Package of 5



98C2413156

Spacer for double cylinder (B internal - C external)
31-56 / 36-56 / 41-56
for C3D cylinder
Package of 5



98C2414646

Spacer for double cylinder (B internal - C external)
46-46 / 51-46 / 56-46
for C3D cylinder
Package of 5



98C2414656

Spacer for double cylinder (B internal - C external)
46-56 / 51-56 / 56-56
for C3D cylinder
Package of 5



98C2416146

Spacer for double cylinder (B internal - C external)
61-46 / 66-46 / 71-46
for C3D cylinder
Package of 5



98C2416156

Spacer for double cylinder (B internal - C external)
61-56 / 66-56 / 71-56
for C3D cylinder
Package of 5



98C2413151

Spacer for double cylinder (B internal - C external)
31-51 / 36-51 / 41-51
for C3D cylinder
Package of 5



98C2413161

Spacer for double cylinder (B internal - C external)
31-61 / 36-61 / 41-61
for C3D cylinder
Package of 5



98C2414651

Spacer for double cylinder (B internal - C external)
46-51 / 51-51 / 56-51
for C3D cylinder
Package of 5



98C2414661

Spacer for double cylinder (B internal - C external)
46-61 / 51-61 / 56-61
for C3D cylinder
Package of 5




98C2416161 Spacer for double cylinder (B internal - C external) 61-61 / 66-61 / 71-61 for C3D cylinder Package of 5	 	98C2413191 Spacer for double cylinder (B internal - C external) 31-91 / 36-91 / 41-91 for C3D cylinder Package of 5	 
98C2413166 Spacer for double cylinder (B internal - C external) 31-66 / 36-66 / 41-66 for C3D cylinder Package of 5	 	98C2413196 Spacer for double cylinder (B internal - C external) 31-96 / 36-96 / 41-96 for C3D cylinder Package of 5	 
98C2413171 Spacer for double cylinder (B internal - C external) 31-71 / 36-71 / 41-71 for C3D cylinder Package of 5	 	98C2413101 Spacer for double cylinder (B internal - C external) 31-101 / 36-101 / 41-101 for C3D cylinder Package of 5	 
98C2413176 Spacer for double cylinder (B internal - C external) 31-76 / 36-76 / 41-76 for C3D cylinder Package of 5	 		
98C2413181 Spacer for double cylinder (B internal - C external) 31-81 / 36-81 / 41-81 for C3D cylinder Package of 5	 		
98C2413186 Spacer for double cylinder (B internal - C external) 31-86 / 36-86 / 41-86 for C3D cylinder Package of 5	 		

98C76004 Cogwheel cam Ø 24 mm - z = 10 for double cylinder Champions®. Package of 1		98C76010 Cogwheel cam Ø 26,5 mm - z = 16 for double cylinder Champions®. Package of 1	
98C76005 Cogwheel cam Ø 24 mm - z = 10 for half cylinder and cylinder with knob for Champions®. Package of 1		98C76017 Cogwheel cam Ø 30 mm - z = 18 for double cylinder Champions®. Package of 1	
98C76006 Cogwheel cam Ø 24 mm - z = 14 for double cylinder Champions®. Package of 1		98C76018 Cogwheel cam Ø 30 mm - z = 18 for half cylinder and cylinder with knob for Champions®. Package of 1	
98C76007 Cogwheel cam Ø 24 mm - z = 14 for half cylinder and cylinder with knob for Champions®. Package of 1		P35400 Suitcase for components for Champions® MODULAR Package of 1	
98C76008 Cogwheel cam Ø 30 mm - z = 13 for double cylinder Champions®. Package of 1		98AC25 Assembly tool Champions® MODULAR cylinders version with fixing screws (GRUB SCREW) Package of 1	
98C76009 Cogwheel cam Ø 30 mm - z = 13 for half cylinder and cylinder with knob for Champions®. Package of 1		98KITIBCM7 Packet kit for Champions® MODULAR cylinder supplied with : - neutral pack - partition cardboard - sealed envelope for keys Package of 5	

START-UP KIT FOR CHAMPIONS MODULAR - (98C00SSUM7)

Article	Q.ty	Article	Q.ty
98CM2CC018	1	98CAF281	5
98CM2CC018C5	1	98CAF298	2
98CAF320	2	98CM1CC018	1
98CAF321	2	98CM1CC018C5	1
98CAF322	2	98CAF330	5
98CAF323	2	98C7805605	1
98CAF324	2	98C1914711	1
98CAF325	2	98CAF331	1
98CAF326	2	98CAF332	1
98CAF327	2	98CAF333	1
98CAF328	2	98CAF334	1
98CAF329	5	98CAF335	1
98C2333030	1	98CAF336	1
98C2333045	1	98CAF337	1
98C2333060	1	98CAF338	5
98C2334545	1	98C1923230	1
98C2334560	1	98C1923245	1
98C2336060	1	98C1923260	1
98C2333080	1	98C1923280	1
98C23031	100	98CAF339	5
98C76004	2	98C7805610	1
98C76006	2	98C76005	1
98C76008	2	98C76007	1
98C76010	2	98C76009	1

CHAMPIONSMODULAR-ASSEMBLY EXAMPLE DOUBLE CYLINDER KEY/KEY 31-46



CHAMPIONSMODULAR - CONFIGURATOR

Online configurator. Tool that allows you to easily compose any type of cylinder. EASY AND INTUITIVE. Available on www.mottura.it

